Skip to main content Skip to primary navigation
Menu
Home Home
About this portal
Latest updates
Print Save Email
Resource detail
Citations

# AS 3688-1994 Water supply - Copper and copper alloy body compression and capillary fittings and threaded-end connectors

View on Information Provider website {{ linkText }}

Abbreviation

AS 3688-1994

Amendment

AS 3688-1994/Amdt 1-1995 AS 3688-1994/Amdt 2-1996

Valid from

17/01/1994

Information provider

SAI Global

Author

Standards Australia

Information type

Australian Standard

Format

PDF

Cited By

This resource is cited by 5 documents (show Citations)

### Description

This Standard specifies requirements for copper and copper alloy body pipe fittings and threaded-end connectors for use in water supply systems where the normal working temperature does not exceed 95°C, with maximum peaks of 110°C for short periods of time, and where the continuous working pressure ranges up to a maximum of 1.4 MPa for all fittings other than capillary fittings manufactured from copper tube.

The maximum continuous working pressure for capillary fittings manufactured from copper tube, which complies with Section 5 of this Standard, is set out in AS 1432 for Type B copper tube.

 $\label{previous versions} For assistance with locating previous versions, please contact the information provider.$ 

View on Information Provider website {{ linkText }}

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

AS 3688-1994 Water supply - Copper and copper alloy body compression and

### capillary fittings and threaded-end connectors

This document is CITED BY:

• AS 1589-2001 (Reconfirmed 2018)

AS 3688-1994 is cited by AS 1589-2001 (R2018) Copper and copper alloy waste fittings

• AS/NZS 3500.1:2003

AS 3688-1994 is cited by AS/NZS 3500.1:2003 Plumbing and drainage - Water services

AS/NZS 3500.2:2003

AS 3688-1994 is cited by AS/NZS 3500.2:2003 Plumbing and drainage - Sanitary plumbing and drainage

AS/NZS 3500.4:2003

AS 3688-1994 is cited by AS/NZS 3500.4:2003 Plumbing and drainage - Part 4: Heated water services

NZS 5261:2003

AS 3688-1994 is cited by NZS 5261:2003 Gas installation

Back

## AS 3688-1994 Water supply - Copper and copper alloy body compression and capillary fittings and threaded-end connectors

Show what documents this resource is CITED BY

Show what documents this resource CITES

#### Description

This Standard specifies requirements for copper and copper alloy body pipe fittings and threaded-end connectors for use in water supply systems where the normal working temperature does not exceed 95 °C, with maximum peaks of 110 °C for short periods of time, and where the continuous working pressure ranges up to a maximum of 1.4 MPa for all fittings other than capillary fittings manufactured from copper tube.

The maximum continuous working pressure for capillary fittings manufactured from copper tube, which complies with Section 5 of this Standard, is set out in AS 1432 for Type B copper tube.

View on Information Provider website

AS 3688-1994 Water supply - Copper and copper alloy body compression and capillary fittings and threaded-end connectors

#### Description

This Standard specifies requirements for copper and copper alloy body pipe fittings and threaded-end connectors for use in water supply systems where the normal working temperature does not exceed 95°C, with maximum peaks of 110°C for short periods of time, and where the continuous working pressure ranges up to a maximum of 1.4 MPa for all fittings other than capillary fittings manufactured from copper tube.

The maximum continuous working pressure for capillary fittings manufactured from copper tube, which complies with Section 5 of this Standard, is set out in AS 1432 for Type B copper tube.

View on Information Provider website

This resource does not cite any other resources.

## AS 3688-1994 Water supply - Copper and copper alloy body compression and capillary fittings and threaded-end connectors

This resource does not CITE any other resources.	
Back	
Table of Contents	
Print Save Email Feedback	
Ocatestus	
<ul><li>Contact us</li><li>Privacy policy</li></ul>	
• <u>Disclaimer</u>	
• <u>Copyright</u>	
<u>Feedback</u>	