Skip to main content Skip to primary navigation	
Menu	
Home Home	
About this portal	
Latest updates	
Print Cause Franci	
Print Save Email	
Resource detail	
Citations	
AS 3688:2005 Water supply - Met	allic fittings and end connectors
<pre>View on Information Provider website {{ linkText }</pre>	.}
Abbreviation	
AS 3688:2005	
Amendment	
AS 3688-2005/Amdt 1-2006	
Valid from	
04/08/2005	
Information provider	
SAI Global	
Author	
Standards Australia	
Information type	
Australian Standard	
Format	
PDF	
Cited By	
This resource is cited by 14 documents (sho	ow Citations)
Cites	

This resource cites 38 documents (show Citations)

Description

This Standard specifies requirements for metallic body pipe fittings and connectors for use with copper tubes and stainless steel pipes and tubes and adaptor fittings for connection to other pipe materials in water supply and gas systems where the normal working temperature does not exceed 95C, and where the maximum operating pressure does not exceed 1.4 MPa.

Scope

Products designed for a temperature in excess of 95C are included where tested to the appropriate temperature criteria.

NOTES:

- 1. For fittings used for gas applications, see AS 5601.
- 2. Illustrations used in this Standard are diagrammatic only and have been chosen without prejudice.

For assistance with locating previous versions, please contact the information provider.

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

AS 3688:2005 Water supply - Metallic fittings and end connectors

This document is CITED BY:

• G10/AS1 (First Edition, Amendment 8)

AS 3688:2005 is cited by Acceptable Solution G10/AS1: Piped Services from 30/09/2010

• G10/AS1 (First Edition, Amendment 7)

AS 3688:2005 is cited by Acceptable Solution G10/AS1: Piped Services from 30/09/2010

• G10/AS1 (First Edition, Amendment 6)

AS 3688:2005 is cited by Acceptable Solution G10/AS1: Piped Services from 30/09/2010

• G10/AS1 (First Edition, Amendment 5)

AS 3688:2005 is cited by Acceptable Solution G10/AS1: Piped Services from 30/09/2010

• AS 1357.1-2009

AS 3688:2005 is cited by AS 1357.1-2009 Valves primarily for use in heated water systems - Part 1: Protection valves

• <u>AS 1357.2-2005</u>

AS 3688:2005 is cited by AS 1357.2-2005 (2015) Valves primarily for use in heated water systems. Part 2: Control valves

• <u>AS/NZS 2642.3:2008</u>

AS 3688:2005 is cited by AS/NZS 2642.3:2008 Polybutylene pipe systems - Mechanical jointing fittings for use with polybutylene (PB) pipes for hot and cold water applications

• AS/NZS 2845.1:2010

AS 3688:2005 is cited by AS/NZS 2845.1:2010 Water supply - Backflow prevention devices - Part 1: Materials, design and performance requirements

• <u>AS/NZS 3500.1:2015</u>

AS 3688:2005 is cited by AS/NZS 3500.1:2015 Plumbing and drainage - Part 1: Water services

• <u>AS/NZS 3500.2:2015</u>

AS 3688:2005 is cited by AS/NZS 3500.2:2015 Plumbing and drainage - Part 2: Sanitary plumbing and drainage

• <u>AS/NZS 3500.4:2015</u>

AS 3688:2005 is cited by AS/NZS 3500.4:2015 Plumbing and drainage - Heated water services

• <u>AS/NZS 4129:2008</u>

AS 3688:2005 is cited by AS/NZS 4129:2008 Fittings for polyethylene (PE) pipes for pressure applications

• <u>AS/NZS 5601.1:2010</u>

AS 3688:2005 is cited by AS/NZS 5601.1:2010 Gas installations - Part 1: General installations

• <u>AS/NZS 5601.1:2013</u>

AS 3688:2005 is cited by AS/NZS 5601.1:2013 Gas installations - General installations

AS 3688:2005 Water supply - Metallic fittings and end connectors

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

This Standard specifies requirements for metallic body pipe fittings and connectors for use with copper tubes and stainless steel pipes and tubes and adaptor fittings for connection to other pipe materials in water supply and gas systems where the normal working temperature does not exceed 95C, and where the maximum operating pressure does not exceed 1.4 MPa.

View on Information Provider website

AS 3688:2005 Water supply - Metallic fittings and end connectors

Description

This Standard specifies requirements for metallic body pipe fittings and connectors for use with copper tubes and stainless steel pipes and tubes and adaptor fittings for connection to other pipe materials in water supply and gas systems where the normal working temperature does not exceed 95C, and where the maximum operating pressure does not exceed 1.4 MPa.

View on Information Provider website

This resource cites:

AS 3688:2005 Water supply - Metallic fittings and end connectors

This document CITES:

New Zealand Standards

• AS/NZS 1167.1:2005

AS 3688:2005 cites AS/NZS 1167.1:2005 Welding and brazing - Filler metals - Filler metal for brazing and braze welding

• AS/NZS 1567:1997

AS 3688:2005 cites AS/NZS 1567:1997 Copper and copper alloys - Wrought rods, bars and sections

• AS/NZS 1568:1998

AS 3688:2005 cites AS/NZS 1568:1998 Copper and copper alloys - Forging stock and forgings

• <u>AS/NZS 3500.0:2003</u>

AS 3688:2005 cites AS/NZS 3500.0:2003 Plumbing and drainage - Glossary of terms

• <u>AS/NZS 3500.1:2003</u>

AS 3688:2005 cites AS/NZS 3500.1:2003 Plumbing and drainage - Water services

• <u>AS/NZS 3500.4:2003</u>

AS 3688:2005 cites AS/NZS 3500.4:2003 Plumbing and drainage - Part 4: Heated water services

<u>AS/NZS 3707:2001</u>

AS 3688:2005 cites AS/NZS 3707:2001 Method for testing pressure cycling resistance of pipes and fittings

<u>AS/NZS 4020:2002</u>

AS 3688:2005 cites AS/NZS 4020:2002 Testing of products for use in contact with drinking water

• NZS/BS 1400:1985

AS 3688:2005 cites NZS/BS 1400:1985 Specification for copper alloy ingots and copper alloy and high conductivity copper castings

Australian Standards

• AS 1349-1986

AS 3688:2005 cites AS 1349-1986 (R2018) Bourdon tube pressure and vacuum gauges

• AS 1432:2004 (R2016)

AS 3688:2005 cites AS 1432:2004 Copper tubes for plumbing, gasfitting and drainage applications

• AS 1565-1996

AS 3688:2005 cites AS 1565-1996 Copper and copper alloys - Ingots and castings

• AS 1572:1998

AS 3688:2005 cites AS 1572:1998 (R2018) Copper and copper alloys - Seamless tubes for engineering purposes

• <u>AS 1646.1-2000</u>

AS 3688:2005 cites AS 1646.1-2000 Elastomeric seals for waterworks purposes - General requirements

• AS 1646.2-2000

AS 3688:2005 cites AS 1646.2-2000 Elastomeric seals for waterworks purposes Material requirements for pipe joint seals used in water and wastewater applications - Specifies by prescription formulation

• <u>AS 1646.3-2000</u>

AS 3688:2005 cites AS 1646.3-2000 Elastomeric seals for waterworks purposes - Material requirements for pipe joints seals used in water and wastewater applications with the exception of natural rubber and polyisoprene compounds

• <u>AS 1722.1-1975</u>

AS 3688:2005 cites AS 1722.1-1975 Pipe threads of Whitworth form - Part 1: Sealing pipe threads (metric units)

AS 1722.2-1992

AS 3688:2005 cites AS 1722.2-1992 (R2017) Pipe threads of Whitworth form - Part 2: Fastening pipe threads

• <u>AS 1831-2002</u>

AS 3688:2005 cites AS 1831-2002 Ductile cast iron

• <u>AS 1834.1-1991</u>

AS 3688:2005 cites AS 1834.1-1991 (R2018) Material for soldering - Part 1: Solder alloys

• <u>AS 2136-1977</u>

AS 3688:2005 cites AS 2136-1977 (R2018) Method for detecting the susceptibility of copper and its alloys to stress corrosion cracking using the mercurous nitrate test

• <u>AS 2345-1992</u>

AS 3688:2005 cites AS 2345-1992 Dezincification resistance of copper alloys

• AS 2738-2000

AS 3688:2005 cites AS 2738-2000 (R2018) Copper and copper alloys - Compositions and designations of refinery

products, wrought products, ingots and castings

• AS 2831-1985

AS 3688:2005 cites AS 2831-1985 Thermometers - Solid stem - Long and short - For precision use

• AS 5601-2004

AS 3688:2005 cites AS 5601-2004 Gas installations

Other

• <u>ASME B36.19M:2004</u>

AS 3688:2005 cites ASME B36.19M:2004 (R2015) Stainless Steel Pipe

• ASTM A183-03

AS 3688:2005 cites ASTM A183-03 Standard Specification for Carbon Steel Track Bolts and Nuts

• ASTM A269-04

AS 3688:2005 cites ASTM A269-04 Standard Specification for Seamless and Welded Austenitic Stainless Steel Tubing for General Service

• <u>ASTM A313 / A313M - 03</u>

AS 3688:2005 cites ASTM A313 / A313M - 03 Standard Specification for Stainless Steel Spring Wire

• <u>ASTM A351/A351M-03</u>

AS 3688:2005 cites ASTM A351/A351M-03 Standard Specification for Castings, Austenitic, Austenitic-Ferritic (Duplex), for Pressure-Containing Parts

• <u>ASTM A395 / A395M - 99</u>

AS 3688:2005 cites ASTM A395 / A395M - 99 Standard Specification for Ferritic Ductile Iron Pressure-Retaining Castings for Use at Elevated Temperatures

• ASTM A449-04b

AS 3688:2005 cites ASTM A449-04b Specification for Hex Cap Screws, Bolts, and Studs, Steel, Heat Treated, 120/105/90 ksi Minimum Tensile Strength, General Use

• <u>ASTM A536-84(2004)</u>

AS 3688:2005 cites ASTM A536-84(2004) Standard Specification for Ductile Iron Castings

• <u>ASTM A743 / A743M - 06</u>

AS 3688:2005 cites ASTM A743 / A743M - 06 Standard Specification for Castings, Iron-Chromium, Iron-Chromium-Nickel, Corrosion Resistant, for General Application

• <u>ASTM A744 / A744M - 06</u>

AS 3688:2005 cites ASTM A744 / A744M - 06 Standard Specification for Castings, Iron-Chromium-Nickel, Corrosion Resistant, for Severe Service

• BS EN 10312:2002

AS 3688:2005 cites BS EN 10312:2002 Welded stainless steel tubes for the conveyance of aqueous liquids including water for human consumption. Technical delivery conditions

ISO 228-1:2000

AS 3688:2005 cites ISO 228-1:2000 Pipe threads where pressure-tight joints are not made on the threads - Part 1: Dimensions, tolerances and designation

• <u>ISO 7-1:1994</u>

AS 3688:2005 cites ISO 7-1:1994 Dimensions, tolerances and designation

Back Close		
Table of Contents		
Print <u>Save</u> Email Feedback		
]
 <u>Contact us</u> <u>Privacy policy</u> <u>Disclaimer</u> <u>Copyright</u> 		
]

Feedback