

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

[Save](#)

[Resource detail](#)

[Citations](#)

AS 3706.3-2000 Geotextiles - Methods of test - Determination of tearing strength - Trapezoidal method

[View on Information Provider website](#)

Abbreviation

AS 3706.3-2000

Valid from

11/10/2000

Information provider

SAI Global

Author

Standards Australia

Information type

Australian Standard

Format

PDF

Cited By

[This resource is cited by 2 documents \(show Citations\)](#)

Description

This Standard sets out a method for determining the tearing strength of geotextiles under in-plane loading, using the trapezoidal method.

NOTE: The trapezoidal method is a tearing force tension test in which the strength is determined primarily by the individual fibres of the fabric structure, and their bonding or interlocking where applicable.

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#)

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

AS 3706.3-2000 Geotextiles - Methods of test - Determination of tearing strength - Trapezoidal method

This document is CITED BY:

- [AS 3706.1-2003](#)

AS 3706.3-2000 is cited by AS 3706.1-2003 Geotextiles - Methods of test. Part 1: General requirements, sampling, conditioning, basic physical properties and statistical analysis

- [AS/NZS 2566.2:2002](#)

AS 3706.3-2000 is cited by AS/NZS 2566.2:2002 (R2016) Buried Flexible pipelines - Installation

Back

AS 3706.3-2000 Geotextiles - Methods of test - Determination of tearing strength - Trapezoidal method

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

This Standard sets out a method for determining the tearing strength of geotextiles under in-plane loading, using the trapezoidal method.

NOTE: The trapezoidal method is a tearing force tension test in which the strength is determined primarily by the individual fibres of the fabric structure, and their bonding or interlocking where applicable.

[View on Information Provider website](#)

[AS 3706.3-2000 Geotextiles - Methods of test - Determination of tearing strength - Trapezoidal method](#)

Description

This Standard sets out a method for determining the tearing strength of geotextiles under in-plane loading, using the trapezoidal method.

NOTE: The trapezoidal method is a tearing force tension test in which the strength is determined primarily by the individual fibres of the fabric structure, and their bonding or interlocking where applicable.

[View on Information Provider website](#)

This resource does not cite any other resources.

AS 3706.3-2000 Geotextiles - Methods of test - Determination of tearing strength - Trapezoidal method

This resource does not CITE any other resources.

Back

Close

Table of Contents

Print [Save](#) Email

[Feedback](#)

- [Contact us](#)
- [Privacy policy](#)

- [Disclaimer](#)
- [Copyright](#)

--	--	--

--

[Feedback](#)