Skip to main content Skip to primary navigation  Menu	
<ul><li> Home Home</li><li> About this portal</li><li> Latest updates</li></ul>	
Print Save Email Resource detail	-

# AS 3706.9-2001 Geotextiles - Methods of test - Determination of permittivity, permeability and flow rate

<u>View on Information Provider website</u> {{ linkText }}

Abbreviation

AS 3706.9-2001

Valid from

Citations

29/06/2001

Information provider

SAI Global

Author

Standards Australia

Information type

Australian Standard

Format

PDF

Cited By

This resource is cited by 2 documents (show Citations)

## Description

This Standard sets out the method for determining the permittivity of geotextiles by measuring the flow of water through the fabric normal to its surface under a constant head.

It is applicable to both woven and non-woven geotextiles.

For assistance with locating previous versions, please contact the information provider.

<u>View on Information Provider website</u> {{ linkText }}

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

# AS 3706.9-2001 Geotextiles - Methods of test - Determination of permittivity, permeability and flow rate

This document is CITED BY:

AS 3706.1-2003

AS 3706.9-2001 is cited by AS 3706.1-2003 Geotextiles - Methods of test. Part 1: General requirements, sampling, conditioning, basic physical properties and statistical analysis

AS/NZS 2566.2:2002

AS 3706.9-2001 is cited by AS/NZS 2566.2:2002 (R2016) Buried Flexible pipelines - Installation



## AS 3706.9-2001 Geotextiles - Methods of test - Determination of permittivity, permeability and flow rate

Show what documents this resource is CITED BY Show what documents this resource CITES

This Standard sets out the method for determining the permittivity of geotextiles by measuring the flow of water through the fabric normal to its surface under a constant head.

It is applicable to both woven and non-woven geotextiles.

View on Information Provider website

AS 3706.9-2001 Geotextiles - Methods of test - Determination of permittivity, permeability and flow rate

### Description

This Standard sets out the method for determining the permittivity of geotextiles by measuring the flow of water through the fabric normal to its surface under a constant head.

It is applicable to both woven and non-woven geotextiles.

View on Information Provider website

This resource does not CITE any other resources.

This resource does not cite any other resources.

## AS 3706.9-2001 Geotextiles - Methods of test - Determination of permittivity,

permeability and flow rate		

Back	
Close	
Table of Contents	
Print Save Email	
Feedback	
Contact us	
<ul> <li>Privacy policy</li> </ul>	
• <u>Disclaimer</u>	
Copyright	

<u>Feedback</u>