

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

[Save](#)

[Resource detail](#)
[Citations](#)

AS 3730.10-2006 (R2016) Guide to the properties of paints for buildings. Part 10: Latex - Exterior - Gloss

[View on Information Provider website](#)

Abbreviation

AS 3730.10-2006

Valid from

30/01/2006

Information provider

SAI Global

Author

Standards Australia

Information type

Australian Standard

Format

PDF

Cited By

[This resource is cited by 9 documents \(show Citations\)](#)

Cites

[This resource cites 37 documents \(show Citations\)](#)

Description

This Standard provides a guide to the features and typical characteristics that are expected of an exterior gloss latex finish when applied by brush, roller or spray in accordance with manufacturers recommendations. Paints satisfying the requirements of this guide are equivalent to paint Type B9 of AS/NZS 2311.

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#)

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

AS 3730.10-2006 (R2016) Guide to the properties of paints for buildings. Part 10: Latex - Exterior - Gloss

This document is CITED BY:

- [E2/AS1 \(Third Edition, Amendment 6\)](#)

AS 3730.10-2006 is cited by Acceptable Solution E2/AS1: External Moisture from 01/08/2011

- [E2/AS1 \(Third Edition, Amendment 8\)](#)

AS 3730.10-2006 is cited by Acceptable Solution E2/AS1: External Moisture from 01/08/2011

- [E2/AS1 \(Third Edition, Amendment 7\)](#)

AS 3730.10-2006 is cited by Acceptable Solution E2/AS1: External Moisture from 01/08/2011

- [E2/AS1 \(Third Edition, Amendment 5, Errata 2\)](#)

AS 3730.10-2006 is cited by Acceptable Solution E2/AS1: External Moisture from 01/08/2011

- [E2/AS1 \(Third Edition, Amendment 9\)](#)

AS 3730.10-2006 is cited by Acceptable Solution E2/AS1: External Moisture from 01/08/2011

- [E2/AS1 \(Third Edition, Amendment 5\)](#)

AS 3730.10-2006 is cited by Acceptable Solution E2/AS1: External Moisture from 01/08/2011

- [AS 3730.6-2006 \(R2016\)](#)

AS 3730.10-2006 is cited by AS 3730.6-2006 (R2016) Guide to the properties of paints for buildings. Part 6: Solvent-borne - Exterior - Full gloss enamel

- [NASH Building Envelope Solutions: 2019](#)

AS 3730.10-2006 is cited by NASH Building Envelope Solutions: 2019 - Light Steel Framed Buildings.

- [NZS 4251.1:2007](#)

AS 3730.10-2006 is cited by NZS 4251.1:2007 Solid plastering - Cement plaster for walls, ceilings and soffits

[Back](#)

AS 3730.10-2006 (R2016) Guide to the properties of paints for buildings. Part 10: Latex - Exterior - Gloss

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

This Standard provides a guide to the features and typical characteristics that are expected of an exterior gloss latex finish when applied by brush, roller or spray in accordance with manufacturers recommendations. Paints satisfying the requirements of this guide are equivalent to paint Type B9 of AS/NZS 2311.

[View on Information Provider website](#)

[AS 3730.10-2006 \(R2016\) Guide to the properties of paints for buildings. Part 10: Latex - Exterior - Gloss](#)

Description

This Standard provides a guide to the features and typical characteristics that are expected of an exterior gloss latex finish when applied by brush, roller or spray in accordance with manufacturers recommendations. Paints satisfying the requirements of this guide are equivalent to paint Type B9 of AS/NZS 2311.

[View on Information Provider website](#)

This resource cites:

AS 3730.10-2006 (R2016) Guide to the properties of paints for buildings. Part 10: Latex - Exterior - Gloss

This document CITES:

New Zealand Standards

- [AS/NZS 1580.101.1:1999 \(R2013\)](#)

AS 3730.10-2006 cites AS/NZS 1580.101.1:1999 (R2013) Paints and related materials - Methods of test - Method 101.1: Conditions of test - Temperature, humidity and airflow control

- [AS/NZS 1580.101.5:1999 \(R2013\)](#)

AS 3730.10-2006 cites AS/NZS 1580.101.5:1999 (R2013) Paints and related materials - Methods of test - Method 101.5: Conditions of test - Temperature and humidity control

- [AS/NZS 1580.103.1:1995 \(R2013\)](#)

AS 3730.10-2006 cites AS/NZS 1580.103.1:1995 (R2013) Paints and related materials - Methods of test - Examination and preparation of samples for testing

- [AS/NZS 1580.104.1:2000 \(R2013\)](#)

AS 3730.10-2006 cites AS/NZS 1580.104.1:2000 (R2013) Paints and related materials - Methods of test - Method 104.1: Recommended materials for test panels

- [AS/NZS 1580.204.1:1998 \(R2013\)](#)

AS 3730.10-2006 cites AS/NZS 1580.204.1:1998 (R2013) Paints and related materials - Methods of test - Method 204.1: Fineness of grind

- [AS/NZS 1580.205.1:1997](#)

AS 3730.10-2006 cites AS/NZS 1580.205.1:1997 (R2013) Paints and related materials - Methods of test - Method 205.1: Application properties - Brushing

- [AS/NZS 1580.205.2:1997](#)

AS 3730.10-2006 cites AS/NZS 1580.205.2:1997 (R2013) Paints and related materials - Methods of test - Method 205.2: Application properties - Conventional spraying

- [AS/NZS 1580.205.3:1997](#)

AS 3730.10-2006 cites AS/NZS 1580.205.3:1997 (R2013) Paints and related materials - Methods of test - Method 205.3: Application properties - Roller coating

- [AS/NZS 1580.205.4:1998](#)

AS 3730.10-2006 cites AS/NZS 1580.205.4:1998 (R2013) Paints and related materials - Methods of test - Method 205.4: Application properties - Airless spraying

- [AS/NZS 1580.211.1:1995](#)

AS 3730.10-2006 cites AS/NZS 1580.211.1:1995 (R2013) Paints and related materials - Methods of test - Method 211.1: Degree of settling

- [AS/NZS 1580.211.2:1995](#)

AS 3730.10-2006 cites AS/NZS 1580.211.2:1995 (R2013) Paints and related materials - Methods of test - Method 211.2: Ease of manual re-incorporation

- [AS/NZS 1580.213.1:1997 \(R2013\)](#)

AS 3730.10-2006 cites AS/NZS 1580.213.1:1997 (R2013) Paints and related materials - Methods of test - Method 213.1: Relative dry hiding power

- [AS/NZS 1580.214.0:1996 \(R2013\)](#)

AS 3730.10-2006 cites AS/NZS 1580.214.0:1996 (R2013) Paints and related materials - Methods of test - Method 214.0: Rheological properties - Guide to test methods

- [AS/NZS 1580.457.1:1996](#)

AS 3730.10-2006 cites AS/NZS 1580.457.1:1996 (R2013) Methods of test for paints and related materials - Resistance to natural weathering

- [AS/NZS 1580.481.1.10:1998 \(Reconfirmed in 2013\)](#)

AS 3730.10-2006 cites AS/NZS 1580.481.1.10:1998 (R2013) Methods of test for paints and related materials - Exposed to weathering - Degree of flaking and peeling

- [AS/NZS 1580.481.1.11:1998 \(Reconfirmed in 2013\)](#)

AS 3730.10-2006 cites AS/NZS 1580.481.1.11:1998 (R2013) Methods of test for paints and related materials - Exposed to weathering - Degree of chalking

- [AS/NZS 1580.481.1.12:1998 \(R2013\)](#)

AS 3730.10-2006 cites AS/NZS 1580.481.1.12:1998 (R2013) Paints and related materials - Methods of test Coatings - Method 481.1.12: Exposed to weathering - Degree of colour change

- [AS/NZS 1580.481.1.2:1998 \(R2013\)](#)

AS 3730.10-2006 cites AS/NZS 1580.481.1.2:1998 (R2013) Paints and related materials - Methods of test Coatings - Method 481.1.2: Exposed to weathering - Discolouration (including bronzing)

- [AS/NZS 1580.481.1.5:1999 \(Reconfirmed in 2013\)](#)

AS 3730.10-2006 cites AS/NZS 1580.481.1.5:1999 (R2013) Methods of test for paints and related materials - Exposed to weathering - Change in gloss

- [AS/NZS 1580.481.1.7:1998 \(Reconfirmed in 2013\)](#)

AS 3730.10-2006 cites AS/NZS 1580.481.1.7:1998 (R2013) Methods of test for paints and related materials - Exposed to weathering - Degree of checking

- [AS/NZS 1580.481.1.8:1998 \(Reconfirmed in 2013\)](#)

AS 3730.10-2006 cites AS/NZS 1580.481.1.8:1998 (R2013) Methods of test for paints and related materials - Exposed to weathering - Degree of cracking

- [AS/NZS 1580.481.1.9:1998 \(Reconfirmed in 2013\)](#)

AS 3730.10-2006 cites AS/NZS 1580.481.1.9:1998 (R2013) Methods of test for paints and related materials - Exposed to weathering - Degree of blistering

- [AS/NZS 1580.601.1:1995](#)

AS 3730.10-2006 cites AS/NZS 1580.601.1:1995 (R2013) Methods of test for paints and related materials - Colour - Visual comparison

- [AS/NZS 1580.602.2:1995 \(R2013\)](#)

AS 3730.10-2006 cites AS/NZS 1580.602.2:1995 (R2013) Paints and related materials - Methods of test - Measurement of specular gloss of non-metallic paint films at 20 degrees, 60 degrees and 85 degrees

- [AS/NZS 1859.4:2004](#)

AS 3730.10-2006 cites AS/NZS 1859.4:2004 Reconstituted wood-based panels - Specifications - Part 4: Wet-processed fibreboard

- [AS/NZS 2310:2002](#)

AS 3730.10-2006 cites AS/NZS 2310:2002 (R2016) Glossary of paint and painting terms

- [AS/NZS 2311:2000](#)

AS 3730.10-2006 cites AS/NZS 2311:2000 Guide to the painting of buildings

Australian Standards

- [AS 1580.213.2-2004](#)

AS 3730.10-2006 cites AS 1580.213.2-2004 Paints and related materials - Methods of test - Method 213.2: Dry hiding power - Contrast ratio

- [AS 1580.301.2-1990](#)

AS 3730.10-2006 cites AS 1580.301.2-1990 (R2013) Paints and related materials - Methods of test - Method 301.2: Non-volatile content by volume (volume solids)

- [AS 1580.401.6-2002 \(R2013\)](#)

AS 3730.10-2006 cites AS 1580.401.6-2002 (R2013) Paints and related materials - Methods of test - Hard dry condition (mechanical thumb test)

- [AS 1580.409.1-2002 \(R2013\)](#)

AS 3730.10-2006 cites AS 1580.409.1-2002 (R2013) Paints and related materials - Methods of test - Resistance to mudcracking

- [AS 1580.409.2-2002 \(R2013\)](#)

AS 3730.10-2006 cites AS 1580.409.2-2002 (R2013) Paints and related materials - Methods of test - Low temperature coalescence

- [AS 1580.603.1-2002](#)

AS 3730.10-2006 cites AS 1580.603.1-2002 (R2013) Paints and related materials - Methods of test - Method 603.1: Finish - General appearance

- [AS 2700-1996](#)

AS 3730.10-2006 cites AS 2700-1996 Colour Standards for general purposes

- [AS 3730.0-2006 \(R2016\)](#)

AS 3730.10-2006 cites AS 3730.0-2006 (R2016) Guide to the properties of paints for buildings - Part 0: General information on the specification, purchasing and testing of paints

- [AS 3730.18-2006 \(R2016\)](#)

AS 3730.10-2006 cites AS 3730.18-2006 (R2016) Guide to the properties of paints for buildings - Part 18: Undercoat/sealer - Latex - Interior/exterior

Other

- [The Poisons Standard \(the SUSMP\)](#)

AS 3730.10-2006 cites The Poisons Standard (Standard for the Uniform Scheduling of Medicines and Poisons - SUSMP)

[Back](#)

[Close](#)

Table of Contents

[Print](#) [Save](#) [Email](#)

[Feedback](#)

--	--	--

--

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

--	--	--

--

[Feedback](#)