

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

  

[Save](#)

[Resource detail](#)  
[Citations](#)

## AS 3786-1993 Smoke alarms

[View on Information Provider website](#)

### Abbreviation

AS 3786-1993

### Amendment

AS 3786-1993/Amdt 1-1995. AS 3786-1993/Amdt 2-1995. AS 3786-1993/Amdt 3-2001. AS 3786-1993/Amdt 4-2004

### Valid from

13/04/1993

---

### Information provider

SAI Global

### Author

Standards Australia

### Information type

Australian Standard

### Format

PDF

---

### Cited By

[This resource is cited by 4 documents \(show Citations\)](#)

### Cites

[This resource cites 27 documents \(show Citations\)](#)

---

### Description

This Standard specifies requirements for the design and performance of electrically operated smoke alarms containing both detection and alarm facilities.

This Standard allows, although it does not require, the inclusion within the smoke alarm of facilities for interconnection with other similar units, or accessories. Where such facilities are included, this Standard specifies requirements for the connection interface. However, such an interface is not intended for connection to fire control stations.

### Scope

This Standard applies to smoke alarms intended for installation within residential accommodation where connection to fire control stations is not required.

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#)

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

## AS 3786-1993 Smoke alarms

This document is CITED BY:

- [F7/AS1 \(Fourth Edition\)](#)

AS 3786-1993 is cited by Acceptable Solution F7/AS1 Warning Systems from 10/04/2012

- [F7/AS1 \(Third Edition, Amendment 6\)](#)

AS 3786-1993 is cited by Acceptable Solution F7/AS1: Warning Systems from 23/04/2003

- [F7/AS1 \(Third Edition, Amendment 7\)](#)

AS 3786-1993 is cited by Acceptable Solution F7/AS1: Warning Systems from 23/04/2003

- [NZS 4514:2009](#)

AS 3786-1993 is cited by NZS 4514:2009 Interconnected smoke alarms for houses

Back

## AS 3786-1993 Smoke alarms

Show what documents this resource is CITED BY

Show what documents this resource CITES

### Description

This Standard specifies requirements for the design and performance of electrically operated smoke alarms containing both detection and alarm facilities.

This Standard allows, although it does not require, the inclusion within the smoke alarm of facilities for interconnection with other similar units, or accessories. Where such facilities are included, this Standard specifies requirements for the connection interface. However, such an interface is not intended for connection to fire control stations.

[View on Information Provider website](#)

[AS 3786-1993 Smoke alarms](#)

### Description

This Standard specifies requirements for the design and performance of electrically operated smoke alarms containing both detection and alarm facilities.

This Standard allows, although it does not require, the inclusion within the smoke alarm of facilities for interconnection with other similar units, or accessories. Where such facilities are included, this Standard specifies requirements for the connection interface. However, such an interface is not intended for connection to fire control stations.

[View on Information Provider website](#)

This resource cites:

## AS 3786-1993 Smoke alarms

This document CITES:

Australian Standards

- [AS 1319-1983](#)

AS 3786-1993 cites AS 1319-1983 Safety signs for the occupational environment

- [AS 1670-1986](#)

AS 3786-1993 cites AS 1670-1986 Automatic fire detection and alarm systems - System design, installation, and commissioning

- [AS 2362.10-1990](#)

AS 3786-1993 cites AS 2362.10-1990 Automatic fire detection and alarm systems - Methods of test for actuating devices - Method 10: Low temperature test

- [AS 2362.11-1990](#)

AS 3786-1993 cites AS 2362.11-1990 Automatic fire detection and alarm systems - Methods of test for actuating devices - Method 11: Damp heat test

- [AS 2362.12-1990](#)

AS 3786-1993 cites AS 2362.12-1990 Automatic fire detection and alarm systems - Methods of test for actuating devices - Method 12: Dry heat test

- [AS 2362.13-1993](#)

AS 3786-1993 cites AS 2362.13-1993 Automatic fire detection and alarm systems - Methods of test for actuating devices - Method 13: Corrosion test

- [AS 2362.15-1993](#)

AS 3786-1993 cites AS 2362.15-1993 Automatic fire detection and alarm systems - Methods of test for actuating devices - Vibration test

- [AS 2362.17-1993](#)

AS 3786-1993 cites AS 2362.17-1993 Automatic fire detection and alarm systems - Methods of test for actuating devices - Sensitivity test

- [AS 2362.18-1993](#)

AS 3786-1993 cites AS 2362.18-1993 Automatic fire detection and alarm systems - Methods of test for actuating devices - Air velocity stability test

- [AS 2362.19-1990](#)

AS 3786-1993 cites AS 2362.19-1990 Automatic fire detection and alarm systems - Methods of test for actuating devices - Dust test

- [AS 2362.20-1993](#)

AS 3786-1993 cites AS 2362.20-1993 Automatic fire detection and alarm systems - Methods of test for actuating devices - Overload test

- [AS 2362.21-1993](#)

AS 3786-1993 cites AS 2362.21-1993 Automatic fire detection and alarm systems - Methods of test for actuating devices - Endurance test

- [AS 2362.22-1993](#)

AS 3786-1993 cites AS 2362.22-1993 Automatic fire detection and alarm systems - Methods of test for actuating devices - Method 22: Sound pressure level test

- [AS 2362.4-1993 \(R2016\)](#)

AS 3786-1993 cites AS 2362.4-1993 (R2016) Automatic fire detection and alarm systems - Methods of test for actuating devices - Method 4: Voltage stability test

- [AS 2362.5-1990 \(R2016\)](#)

AS 3786-1993 cites AS 2362.5-1990 (R2016) Automatic fire detection and alarm systems - Methods of test for actuating devices - Method 5: Insulation resistance test

- [AS 2362.6-1993 \(R2016\)](#)

AS 3786-1993 cites AS 2362.6-1993 (R2016) Automatic fire detection and alarm systems - Methods of test for actuating devices - Static discharge test

- [AS 2362.7-1990 \(R2016\)](#)

AS 3786-1993 cites AS 2362.7-1990 (R2016) Automatic fire detection and alarm systems - Methods of test for actuating devices - Method 7: Electromagnetic interference test

- [AS 2362.8-1990 \(R2016\)](#)

AS 3786-1993 cites AS 2362.8-1990 (R2016) Automatic fire detection and alarm systems - Methods of test for actuating devices - Method 8: Impulse voltage withstand test

- [AS 2362.9-1990 \(R2016\)](#)

AS 3786-1993 cites AS 2362.9-1990 (R2016) Automatic fire detection and alarm systems - Methods of test for actuating devices - Method 9: High frequency disturbance test

- [AS 2484.1-1990 \(R2016\)](#)

AS 3786-1993 cites AS 2484.1-1990 (R2016) Fire - Glossary of terms - Part 1: Fire tests

- [AS 2484.2-1991 \(R2016\)](#)

AS 3786-1993 cites AS 2484.2-1991 (R2016) Fire - Glossary of terms - Part 2: Fire protection and firefighting equipment

- [AS 2706-1984](#)

AS 3786-1993 cites AS 2706-1984 Numerical values - Rounding and interpretation of limiting values

- [AS 3000-1991](#)

AS 3786-1993 cites AS 3000-1991 Electrical installations - Buildings, structures and premises (known as the SAA Wiring Rules)

- [AS 3100-1990](#)

AS 3786-1993 cites AS 3100-1990 Approval and test specification - General requirements for electrical equipment

#### Other

- [ISO 2919:1999](#)

AS 3786-1993 cites ISO 2919:1999 Radiation protection - Sealed radioactive sources - General requirements and classification

- [ISO 7731:1986](#)

AS 3786-1993 cites ISO 7731:1986 Danger signals for work places - Auditory danger signals

- [ISO 8201:1987](#)

AS 3786-1993 cites ISO 8201:1987 Acoustics - Audible emergency evacuation signal

[Back](#)

[Close](#)

#### Table of Contents

[Print](#)

[Save](#)

[Email](#)

[Feedback](#)

|  |  |  |
|--|--|--|
|  |  |  |
|  |  |  |
|  |  |  |

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

|  |  |  |
|--|--|--|
|  |  |  |
|  |  |  |

[Feedback](#)