

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

[Save](#)

[Resource detail](#)

[Citations](#)

AS 4087-2004 Metallic flanges for waterworks purposes

[View on Information Provider website](#)

Abbreviation

AS 4087-2004

Amendment

AS 4087-2004/Amdt 1-2005

Valid from

26/10/2004

Information provider

SAI Global

Author

Standards Australia

Information type

Australian Standard

Format

PDF

Cited By

[This resource is cited by 2 documents \(show Citations\)](#)

Description

This standard specifies requirements for circular flanges manufactured from copper alloy, grey cast iron, ductile cast iron, or steel. It covers nominal sizes with pressure ratings for PN 14, 16, 21 and 35 at operating temperatures not exceeding 80°C. The standard also specifies requirements for jointing materials.

Flanges are suitable for use on pipes, pipe fittings, valves and other equipment that are primarily intended for the conveyance or storage of water or wastewater.

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#)

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

AS 4087-2004 Metallic flanges for waterworks purposes

This document is CITED BY:

- [AS/NZS 2845.1:2010](#)

AS 4087-2004 is cited by AS/NZS 2845.1:2010 Water supply - Backflow prevention devices - Part 1: Materials, design and performance requirements

- [AS/NZS 3500.4:2015](#)

AS 4087-2004 is cited by AS/NZS 3500.4:2015 Plumbing and drainage - Heated water services

Back

AS 4087-2004 Metallic flanges for waterworks purposes

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

This standard specifies requirements for circular flanges manufactured from copper alloy, grey cast iron, ductile cast iron, or steel. It covers nominal sizes with pressure ratings for PN 14, 16, 21 and 35 at operating temperatures not exceeding 80°C. The standard also specifies requirements for jointing materials.

Flanges are suitable for use on pipes, pipe fittings, valves and other equipment that are primarily intended for the conveyance or storage of water or wastewater.

[View on Information Provider website](#)

[AS 4087-2004 Metallic flanges for waterworks purposes](#)

Description

This standard specifies requirements for circular flanges manufactured from copper alloy, grey cast iron, ductile cast iron, or steel. It covers nominal sizes with pressure ratings for PN 14, 16, 21 and 35 at operating temperatures not exceeding 80°C. The standard also specifies requirements for jointing materials.

Flanges are suitable for use on pipes, pipe fittings, valves and other equipment that are primarily intended for the conveyance or storage of water or wastewater.

[View on Information Provider website](#)

This resource does not cite any other resources.

AS 4087-2004 Metallic flanges for waterworks purposes

This resource does not CITE any other resources.

Back

Close

Table of Contents

Print [Save](#) Email

[Feedback](#)

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)

- [Copyright](#)

--	--	--

--

[Feedback](#)