

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

[Resource detail](#)
[Citations](#)

AS 4176:1994 Polyethylene/aluminium and cross-linked polyethylene/aluminium macro-composite pipe systems for pressure applications

[View on Information Provider website](#)

Abbreviation
AS 4176:1994
Valid from
17/01/1994

Information provider
SAI Global
Author
Standards Australia
Information type
Australian Standard
Format
PDF

Cited By
[This resource is cited by 5 documents \(show Citations\)](#)

Description

This Standard specifies requirements for macro-composite pipes and associated fittings for the conveyance of fluids including compressed air, gaseous fuels and water in agricultural, industrial, domestic and other applications in sizes ranging from 14 to 25 mm outside diameter. The macro-composite pipes covered by this Standard consist of a welded aluminium core encapsulated in, and bonded to, an inner and an outer layer of polyethylene or cross-linked polyethylene.

Note: Advisory information on the determination of compliance with this Standard is given in Appendix A.

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#)

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

AS 4176:1994 Polyethylene/aluminium and cross-linked polyethylene/aluminium macro-composite pipe systems for pressure

applications

This document is CITED BY:

- [AS/NZS 2033:2008](#)
AS 4176:1994 is cited by AS/NZS 2033:2008 Installation of polyethylene pipe systems
- [AS/NZS 3500.1:2003](#)
AS 4176:1994 is cited by AS/NZS 3500.1:2003 Plumbing and drainage - Water services
- [AS/NZS 3500.4:2003](#)
AS 4176:1994 is cited by AS/NZS 3500.4:2003 Plumbing and drainage - Part 4: Heated water services
- [AS/NZS 5601.1:2010](#)
AS 4176:1994 is cited by AS/NZS 5601.1:2010 Gas installations - Part 1: General installations
- [NZS 5261: 2003](#)
AS 4176:1994 is cited by NZS 5261: 2003 Gas installation

Back

AS 4176:1994 Polyethylene/aluminium and cross-linked polyethylene/aluminium macro-composite pipe systems for pressure applications

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

This Standard specifies requirements for macro-composite pipes and associated fittings for the conveyance of fluids including compressed air, gaseous fuels and water in agricultural, industrial, domestic and other applications in sizes ranging from 14 to 25 mm outside diameter. The macro-composite pipes covered by this Standard consist of a welded aluminium core encapsulated in, and bonded to, an inner and an outer layer of polyethylene or cross-linked polyethylene.

Note: Advisory information on the determination of compliance with this Standard is given in Appendix A.

[View on Information Provider website](#)

[AS 4176:1994 Polyethylene/aluminium and cross-linked polyethylene/aluminium macro-composite pipe systems for pressure applications](#)

Description

This Standard specifies requirements for macro-composite pipes and associated fittings for the conveyance of fluids including compressed air, gaseous fuels and water in agricultural, industrial, domestic and other applications in sizes ranging from 14 to 25 mm outside diameter. The macro-composite pipes covered by this Standard consist of a welded aluminium core encapsulated in, and bonded to, an inner and an outer layer of polyethylene or cross-linked polyethylene.

Note: Advisory information on the determination of compliance with this Standard is given in Appendix A.

[View on Information Provider website](#)

This resource does not cite any other resources.

AS 4176:1994 Polyethylene/aluminium and cross-linked polyethylene/aluminium macro-composite pipe systems for pressure applications

applications

This resource does not CITE any other resources.

Back

Close

Table of Contents

Print

[Save](#)

Email

[Feedback](#)

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

[Feedback](#)