

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

[Save](#)

[Resource detail](#)

[Citations](#)

AS 4617-2004 Manual shut off gas valves

[View on Information Provider website](#)

Abbreviation

AS 4617-2004

Amendment

AS 4617-2004/Amdt 1-2011

Valid from

17/11/2004

Information provider

SAI Global

Author

Standards Australia

Information type

Australian Standard

Format

PDF

Cited By

[This resource is cited by 2 documents \(show Citations\)](#)

Description

This Standard specifies the uniform minimum requirements for manufacturers, designers, regulatory authorities, testing laboratories and similar organizations for the safety, performance and use of manual shut off valves up to 150 mm size.

These manual shut off valves are intended for use with natural gas, town gas, tempered liquefied petroleum gas and liquefied petroleum gas.

Scope

These requirements apply to manual shut off valves up to 150 mm size for use on natural gas (NG), simulated natural gas (SNG), town gas (TG), tempered liquefied petroleum gas (TLP) and liquefied petroleum gas (LPG).

Compliance of a manual shut off valve with these requirements does not imply that it is acceptable for use without supplemental tests in its intended application.

Certification requirements for manual shut off valves incorporated in a combination control are published in AS 4624.

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#)

This resource is cited by:

AS 4617-2004 Manual shut off gas valves

This document is CITED BY:

- [AS/NZS 5601.1:2010](#)

AS 4617-2004 is cited by AS/NZS 5601.1:2010 Gas installations - Part 1: General installations

- [AS/NZS 5601.1:2013](#)

AS 4617-2004 is cited by AS/NZS 5601.1:2013 Gas installations - General installations

Back

AS 4617-2004 Manual shut off gas valves

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

This Standard specifies the uniform minimum requirements for manufacturers, designers, regulatory authorities, testing laboratories and similar organizations for the safety, performance and use of manual shut off valves up to 150 mm size.

These manual shut off valves are intended for use with natural gas, town gas, tempered liquefied petroleum gas and liquefied petroleum gas.

[View on Information Provider website](#)

[AS 4617-2004 Manual shut off gas valves](#)

Description

This Standard specifies the uniform minimum requirements for manufacturers, designers, regulatory authorities, testing laboratories and similar organizations for the safety, performance and use of manual shut off valves up to 150 mm size.

These manual shut off valves are intended for use with natural gas, town gas, tempered liquefied petroleum gas and liquefied petroleum gas.

[View on Information Provider website](#)

This resource does not cite any other resources.

AS 4617-2004 Manual shut off gas valves

This resource does not CITE any other resources.

Back

Close

Table of Contents

Print Save Email

[Feedback](#)

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

[Feedback](#)