

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

[Save](#)

[Resource detail](#)

[Citations](#)

AS 4623-2008 (R2016) Jointing compounds and materials for use in gas pipe joints

[View on Information Provider website](#)

Abbreviation

AS 4623-2008 (R2016)

Valid from

30/06/2008

Information provider

SAI Global

Author

Standards Australia

Information type

Australian Standard

Format

PDF

Cited By

[This resource is cited by 2 documents \(show Citations\)](#)

Description

This Standard specifies the uniform minimum requirements for manufacturers, designers, regulatory authorities, testing laboratories and similar for the safety, performance and use of jointing compounds and materials for use with threaded or flanged joints in pipes and fittings used in gas installations.

These jointing compounds and materials are intended for use with natural gas, town gas, tempered liquefied petroleum gas and liquefied petroleum gas.

For assistance with locating previous versions, please contact the information provider.

Notes/comments

Standard reconfirmed 17 June 2016

[View on Information Provider website](#)

For assistance with locating previous versions, please contact the information provider.

Standard reconfirmed 17 June 2016

This resource is cited by:

AS 4623-2008 (R2016) Jointing compounds and materials for use in gas pipe joints

This document is CITED BY:

- [AS/NZS 5601.1:2010](#)

AS 4623-2008 (R2016) is cited by AS/NZS 5601.1:2010 Gas installations - Part 1: General installations

- [AS/NZS 5601.1:2013](#)

AS 4623-2008 (R2016) is cited by AS/NZS 5601.1:2013 Gas installations - General installations

Back

AS 4623-2008 (R2016) Jointing compounds and materials for use in gas pipe joints

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

This Standard specifies the uniform minimum requirements for manufacturers, designers, regulatory authorities, testing laboratories and similar for the safety, performance and use of jointing compounds and materials for use with threaded or flanged joints in pipes and fittings used in gas installations.

These jointing compounds and materials are intended for use with natural gas, town gas, tempered liquefied petroleum gas and liquefied petroleum gas.

[View on Information Provider website](#)

[AS 4623-2008 \(R2016\) Jointing compounds and materials for use in gas pipe joints](#)

Description

This Standard specifies the uniform minimum requirements for manufacturers, designers, regulatory authorities, testing laboratories and similar for the safety, performance and use of jointing compounds and materials for use with threaded or flanged joints in pipes and fittings used in gas installations.

These jointing compounds and materials are intended for use with natural gas, town gas, tempered liquefied petroleum gas and liquefied petroleum gas.

[View on Information Provider website](#)

This resource does not cite any other resources.

AS 4623-2008 (R2016) Jointing compounds and materials for use in gas pipe joints

This resource does not CITE any other resources.

Back

Close

Table of Contents

Print [Save](#) Email

[Feedback](#)

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

[Feedback](#)