

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

[Save](#)

[Resource detail](#)
[Citations](#)

AS 4627-2005 Quick-connect devices for gas

[View on Information Provider website](#)

Abbreviation
AS 4627-2005
Valid from
31/05/2005

Information provider
SAI Global
Author
Standards Australia
Information type
Australian Standard
Format
PDF

Cited By
[This resource is cited by 2 documents \(show Citations\)](#)

Description

This Standard specifies the uniform minimum requirements for manufacturers, designers, regulatory authorities, testing laboratories and similar organizations for the safety, performance and use of quick-connect devices for gas. These quick-connect devices are intended for use with natural gas, town gas, tempered liquefied petroleum gas and liquefied petroleum gas.

Scope

These requirements apply to quick-connect devices up to 50 mm size for use on natural gas (NG), simulated natural gas (SNG), town gas (TG), tempered liquefied petroleum gas (TLP) and liquefied petroleum gas (LPG vapour). Compliance of a quick-connect device with these requirements does not imply that it is acceptable for use without supplemental tests in its intended application.

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#)

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

AS 4627-2005 Quick-connect devices for gas

This document is CITED BY:

- [AS/NZS 5601.1:2010](#)

AS 4627-2005 is cited by AS/NZS 5601.1:2010 Gas installations - Part 1: General installations

- [AS/NZS 5601.1:2013](#)

AS 4627-2005 is cited by AS/NZS 5601.1:2013 Gas installations - General installations

Back

AS 4627-2005 Quick-connect devices for gas

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

This Standard specifies the uniform minimum requirements for manufacturers, designers, regulatory authorities, testing laboratories and similar organizations for the safety, performance and use of quick-connect devices for gas. These quick-connect devices are intended for use with natural gas, town gas, tempered liquefied petroleum gas and liquefied petroleum gas.

[View on Information Provider website](#)

[AS 4627-2005 Quick-connect devices for gas](#)

Description

This Standard specifies the uniform minimum requirements for manufacturers, designers, regulatory authorities, testing laboratories and similar organizations for the safety, performance and use of quick-connect devices for gas. These quick-connect devices are intended for use with natural gas, town gas, tempered liquefied petroleum gas and liquefied petroleum gas.

[View on Information Provider website](#)

This resource does not cite any other resources.

AS 4627-2005 Quick-connect devices for gas

This resource does not CITE any other resources.

Back

Close

Table of Contents

Print [Save](#) Email

[Feedback](#)

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

[Feedback](#)

