

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

[Resource detail](#)
[Citations](#)

AS 4631-2005 Limited flexibility connectors for gas

[View on Information Provider website](#)

Abbreviation

AS 4631-2005

Amendment

AS 4631-2005/Amdt 1-2016 - Incorporated.

Valid from

08/06/2005

Information provider

SAI Global

Author

Standards Australia

Information type

Australian Standard

Format

PDF

Cited By

[This resource is cited by 2 documents \(show Citations\)](#)

Description

This Standard specifies the uniform minimum requirements for manufacturers, designers, regulatory authorities, testing laboratories and similar organizations for the safety, performance and use of limited flexibility connectors for gas. These limited flexibility connectors are intended for use with natural gas, town gas, tempered liquefied petroleum gas and liquefied petroleum gas.

Scope

The requirements contained in the Standard apply to limited flexibility connectors for use on natural gas (NG), simulated natural gas (SNG), town gas (TG), tempered liquefied petroleum gas (TLP) and liquefied petroleum gas (LPG). Requirements for a quick-connect device incorporated in a metal connector are published as AS 4627.

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#)

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

AS 4631-2005 Limited flexibility connectors for gas

This document is CITED BY:

- [AS/NZS 5601.1:2010](#)

AS 4631-2005 is cited by AS/NZS 5601.1:2010 Gas installations - Part 1: General installations

- [AS/NZS 5601.1:2013](#)

AS 4631-2005 is cited by AS/NZS 5601.1:2013 Gas installations - General installations

Back

AS 4631-2005 Limited flexibility connectors for gas

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

This Standard specifies the uniform minimum requirements for manufacturers, designers, regulatory authorities, testing laboratories and similar organizations for the safety, performance and use of limited flexibility connectors for gas. These limited flexibility connectors are intended for use with natural gas, town gas, tempered liquefied petroleum gas and liquefied petroleum gas.

[View on Information Provider website](#)

[AS 4631-2005 Limited flexibility connectors for gas](#)

Description

This Standard specifies the uniform minimum requirements for manufacturers, designers, regulatory authorities, testing laboratories and similar organizations for the safety, performance and use of limited flexibility connectors for gas. These limited flexibility connectors are intended for use with natural gas, town gas, tempered liquefied petroleum gas and liquefied petroleum gas.

[View on Information Provider website](#)

This resource does not cite any other resources.

AS 4631-2005 Limited flexibility connectors for gas

This resource does not CITE any other resources.

Back

Close

Table of Contents

Print [Save](#) Email

[Feedback](#)

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)

- [Copyright](#)

--	--	--

--

[Feedback](#)