

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

[Save](#)

[Resource detail](#)
[Citations](#)

AS B118-1953 Dimensions of small rivets for general purposes

[View on Information Provider website](#)

Abbreviation

AS B118-1953

Amendment

AS B118-1953/Amdt 1-1961

Valid from

01/05/1953

Information provider

SAI Global

Author

Standards Australia

Information type

Australian Standard

Format

PDF, Hard copy

Cited By

[This resource is cited by 1 document \(show Citations\)](#)

Description

This Standard relates to such as snap, pan, mushroom, flat and various countersunk headed types. Nominal diameters and lengths are defined with permissible variations in shank diameters. These rivets are made from mild steel, copper, brass, a range of aluminium alloys and pure aluminium. Details of Reaper rivets are included. Tables of stock lengths are also given. Coopers' flat head rivets 4 in. diameter and below are included in an appendix.

Scope

This British standard specifies the dimensions of small rivets of nominal diameters below 1/2 in. for general purposes, and the dimensions of 140 countersunk head rivets (hose rivets) and reaper rivets. The dimensions of these rivets are given in Tables 1 to 10 inclusive, and the sizes normally stocked are given in Table 11.

The dimensions of washers for use with 140 countersunk head rivets (hose rivets) are also included in Table 8.

Note. Coopers' flat head rivets, 1/2 in. dia. and below, are included in an Appendix (see also Table 4 and Table 11 e-Mild steel flat head rivets).

For assistance with locating previous versions, please contact the information provider.

Notes/comments

This Standard is identical to British Standard 641:1951 and contains amendments BS 641 - PD2223 (1955) and AS B118-1953/Amdt 1-1961 .

[View on Information Provider website](#)

For assistance with locating previous versions, please contact the information provider.

This Standard is identical to British Standard 641:1951 and contains amendments BS 641 - PD2223 (1955) and AS B118-1953/Amdt 1-1961 .

This resource is cited by:

AS B118-1953 Dimensions of small rivets for general purposes

This document is CITED BY:

- [NZS 4332:1997](#)

AS B118-1953 is cited by NZS 4332:1997 Non-domestic passenger and goods lifts

AS B118-1953 Dimensions of small rivets for general purposes

Description

This Standard relates to such as snap, pan, mushroom, flat and various countersunk headed types. Nominal diameters and lengths are defined with permissible variations in shank diameters. These rivets are made from mild steel, copper, brass, a range of aluminium alloys and pure aluminium. Details of Reaper rivets are included. Tables of stock lengths are also given. Coopers' flat head rivets 4 in. diameter and below are included in an appendix.

[View on Information Provider website](#)

[AS B118-1953 Dimensions of small rivets for general purposes](#)

Description

This Standard relates to such as snap, pan, mushroom, flat and various countersunk headed types. Nominal diameters and lengths are defined with permissible variations in shank diameters. These rivets are made from mild steel, copper, brass, a range of aluminium alloys and pure aluminium. Details of Reaper rivets are included. Tables of stock lengths are also given. Coopers' flat head rivets 4 in. diameter and below are included in an appendix.

[View on Information Provider website](#)

This resource does not cite any other resources.

AS B118-1953 Dimensions of small rivets for general purposes

This resource does not CITE any other resources.

Table of Contents

[Save](#)

[Feedback](#)

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

[Feedback](#)