Skip to main content Skip to primary navigation	
Menu	
<ul><li> Home Home</li><li> About this portal</li><li> Latest updates</li></ul>	
Print Save Email	
Resource detail	

# ASME B16.10-1986 FACE-TO-FACE AND END-TO- END DIMENSIONS OF VALVES

<u>View on Information Provider website</u> {{ linkText }}

Abbreviation

ASME B16.10-1986

Valid from

Citations

05/11/1986

Information provider

**IHS Markit** 

Author

American Society of Mechanical Engineers

American National Standards Institute

Information type

Other Standard

**Format** 

**PDF** 

Cited By

This resource is cited by 1 document (show Citations)

#### Description

This Standard covers face-to-face and end-to-end dimensions of straightway valves, and center-to-face and center-to-end dimensions of angle valves.

Its purpose is to ensure installation interchangeability for valves of a given material, type, size, rating class, and end connection.

For assistance with locating previous versions, please contact the information provider.

View on Information Provider website {{ linkText }}

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

# ASME B16.10-1986 FACE-TO-FACE AND END-TO- END DIMENSIONS OF VALVES

This document is CITED BY:

ANSI/ASME B16.5: 1988

ASME B16.10-1986 is cited by ANSI/ASME B16.5: 1988 Pipe flanges and flanged fittings, steel-nickel alloy and other special alloys

Back

## ASME B16.10-1986 FACE-TO-FACE AND END-TO- END DIMENSIONS OF VALVES

Show what documents this resource is CITED BY

Show what documents this resource CITES

### Description

This Standard covers face-to-face and end-to-end dimensions of straightway valves, and center-to-face and center-to-end dimensions of angle valves.

Its purpose is to ensure installation interchangeability for valves of a given material, type, size, rating class, and end connection.

View on Information Provider website

### ASME B16.10-1986 FACE-TO-FACE AND END-TO- END DIMENSIONS OF VALVES

### Description

This Standard covers face-to-face and end-to-end dimensions of straightway valves, and center-to-face and center-to-end dimensions of angle valves.

Its purpose is to ensure installation interchangeability for valves of a given material, type, size, rating class, and end connection.

**Feedback** 

This resource does not cite any other resources.

# ASME B16.10-1986 FACE-TO-FACE AND END-TO- END DIMENSIONS OF VALVES

This resource does not CITE any other resources.	
Back	
Table of Contents	
Print Save Email Feedback	
<ul> <li>Contact us</li> <li>Privacy policy</li> <li>Disclaimer</li> <li>Copyright</li> </ul>	