

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

[Save](#)

[Resource detail](#)  
[Citations](#)

## AS/NZS 1050.31:1994 (R206) Methods for the analysis of iron and steel - Part 31: Determination of niobium content - PAR spectrometric method

[View on Information Provider website](#)

### Abbreviation

AS/NZS 1050.31:1994

### Valid from

07/08/1994

---

### Information provider

Standards New Zealand

### Author

Standards New Zealand, Standards Australia

### Information type

New Zealand Standard

### Format

PDF

---

### Cited By

[This resource is cited by 3 documents \(show Citations\)](#)

---

### Description

This Standard specifies a PAR spectrometric method for the determination of niobium content between 0.005 percent and 1.3 percent in steel. This standard is technically identical with and reproduced from ISO 9441:1988.

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#)

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

## AS/NZS 1050.31:1994 (R206) Methods for the analysis of iron and steel - Part 31: Determination of niobium content - PAR spectrometric method

This document is CITED BY:

- [AS 1397-2011](#)

AS/NZS 1050.31:1994 is cited by AS 1397-2011 Continuous hot-dip metallic coated steel sheet and strip - Coatings of zinc and zinc alloyed with aluminium and magnesium

- [AS 1397:2001](#)

AS/NZS 1050.31:1994 is cited by AS 1397:2001 Steel sheet and strip - Hot-dipped zinc-coated or aluminium/zinc-coated

- [AS/NZS 4671:2001](#)

AS/NZS 1050.31:1994 is cited by AS/NZS 4671:2001 Steel reinforcing materials

Back

## AS/NZS 1050.31:1994 (R206) Methods for the analysis of iron and steel - Part 31: Determination of niobium content - PAR spectrometric method

Show what documents this resource is CITED BY

Show what documents this resource CITES

### Description

This Standard specifies a PAR spectrometric method for the determination of niobium content between 0.005 percent and 1.3 percent in steel. This standard is technically identical with and reproduced from ISO 9441:1988.

[View on Information Provider website](#)

[AS/NZS 1050.31:1994 \(R206\) Methods for the analysis of iron and steel - Part 31: Determination of niobium content - PAR spectrometric method](#)

### Description

This Standard specifies a PAR spectrometric method for the determination of niobium content between 0.005 percent and 1.3 percent in steel. This standard is technically identical with and reproduced from ISO 9441:1988.

[View on Information Provider website](#)

This resource does not cite any other resources.

## AS/NZS 1050.31:1994 (R206) Methods for the analysis of iron and steel - Part 31: Determination of niobium content - PAR spectrometric method

This resource does not CITE any other resources.

Back

Close

### Table of Contents

## 1 Scope

## 2 Normative References

## 3 Principle

## 4 Reagents

## 5 Apparatus

6 Sampling

7 Procedure

8 Expression Of Results

9 Test Report

Annexes

A Additional Information On The International Cooperative Tests

B Graphical Representation Of Precision Data

Print

[Save](#)

Email

[Feedback](#)

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

[Feedback](#)