Skip to main content Skip to primary navigation		
Menu		
Home Home		
About this portal		
Latest updates		
	1	
Print Save Email		
Resource detail		
<u>Citations</u>		

AS/NZS 1050.39:1994 (R2016) Methods for the analysis of iron and steel - Part 39: Determination of chromium content - Flame atomic absorption spectrometric method

Table of Contents

<u>View on Information Provider website</u> {{ linkText }}

Abbreviation

AS/NZS 1050.39:1994

Valid from

07/08/1994

Information provider

Standards New Zealand

Author

Standards New Zealand, Standards Australia

Information type

New Zealand Standard

Format

PDF

Cited By

This resource is cited by 3 documents (show Citations)

Description

This Standard specifies a flame atomic absorption spectrometric method for the determination of chromium content between 0.002 percent and 2.0 percent in non-alloy and low alloy steel.

The procedure involves dissolution of a test portion in acid and determination of the atomic absorption of the chromium spectral line, measured at either 357.9 nm or 425.4 nm in a flame atomic absorption spectrometer.

This standard is identical with and reproduced from ISO 10138:1991.

For assistance with locating previous versions, please contact the information provider.

Table of Contents View on Information Provider website {{ linkText }}

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

AS/NZS 1050.39:1994 (R2016) Methods for the analysis of iron and steel - Part 39: Determination of chromium content - Flame atomic absorption spectrometric method

This document is CITED BY:

AS 1397-2011

AS/NZS 1050.39:1994 is cited by AS 1397-2011 Continuous hot-dip metallic coated steel sheet and strip - Coatings of zinc and zinc alloyed with aluminium and magnesium

• AS 1397:2001

AS/NZS 1050.39:1994 is cited by AS 1397:2001 Steel sheet and strip - Hot-dipped zinc-coated or aluminium/zinc-coated

AS/NZS 4671:2001

AS/NZS 1050.39:1994 is cited by AS/NZS 4671:2001 Steel reinforcing materials



AS/NZS 1050.39:1994 (R2016) Methods for the analysis of iron and steel - Part 39: Determination of chromium content - Flame atomic absorption spectrometric method

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

This Standard specifies a flame atomic absorption spectrometric method for the determination of chromium content between 0.002 percent and 2.0 percent in non-alloy and low alloy steel.

The procedure involves dissolution of a test portion in acid and determination of the atomic absorption of the chromium spectral line, measured at either 357.9 nm or 425.4 nm in a flame atomic absorption spectrometer.

This standard is identical with and reproduced from ISO 10138:1991.

View on Information Provider website

AS/NZS 1050.39:1994 (R2016) Methods for the analysis of iron and steel - Part 39: Determination of chromium content - Flame atomic absorption spectrometric method

Description

This Standard specifies a flame atomic absorption spectrometric method for the determination of chromium content between 0.002 percent and 2.0 percent in non-alloy and low alloy steel.

The procedure involves dissolution of a test portion in acid and determination of the atomic absorption of the chromium spectral line, measured at either 357.9 nm or 425.4 nm in a flame atomic absorption spectrometer.

This standard is identical with and reproduced from ISO 10138:1991.

View on Information Provider website

This resource does not cite any other resources.

AS/NZS 1050.39:1994 (R2016) Methods for the analysis of iron and steel - Part 39: Determination of chromium content - Flame atomic absorption spectrometric method

This resource does not CITE any other resources.
Back
Close
Table of Contents
1 Scope
2 Normative Peteronese

- 2 Normative References
- 3 Principle
- 4 Reagents
- **5 Apparatus**
- 6 Sampling
- 7 Procedure
- **8 Expression Of Results**
- 9 Test Report

Annexes

A Procedures For The Determination Of Instrumental Criteria

B Additional Information On The International Cooperative Tests

C Graphical Representation Of Precision Data

