

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

[Save](#)

[Resource detail](#)
[Citations](#)

AS/NZS 1050.8:1994 (R2016) Methods for the analysis of iron and steel - Determination of manganese content (spectrophotometric method)

[View on Information Provider website](#)

Abbreviation

AS/NZS 1050.8:1994

Valid from

14/08/1994

Information provider

Standards New Zealand

Author

Standards New Zealand, Standards Australia

Information type

New Zealand Standard

Format

PDF

Cited By

[This resource is cited by 3 documents \(show Citations\)](#)

Description

This Joint Standard sets out a spectrophotometric method, using the permanganate ion formed by oxidation, for the determination of the manganese content of iron and steel. The method covers the range 0.01% to 2% manganese and is applicable to all grades of iron and steel.

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#)

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

AS/NZS 1050.8:1994 (R2016) Methods for the analysis of iron and steel - Determination of manganese content (spectrophotometric method)

This document is CITED BY:

- [AS 1397-2011](#)

AS/NZS 1050.8:1994 is cited by AS 1397-2011 Continuous hot-dip metallic coated steel sheet and strip - Coatings of zinc and zinc alloyed with aluminium and magnesium

- [AS 1397:2001](#)

AS/NZS 1050.8:1994 is cited by AS 1397:2001 Steel sheet and strip - Hot-dipped zinc-coated or aluminium/zinc-coated

- [AS/NZS 4671:2001](#)

AS/NZS 1050.8:1994 is cited by AS/NZS 4671:2001 Steel reinforcing materials

Back

AS/NZS 1050.8:1994 (R2016) Methods for the analysis of iron and steel - Determination of manganese content (spectrophotometric method)

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

This Joint Standard sets out a spectrophotometric method, using the permanganate ion formed by oxidation, for the determination of the manganese content of iron and steel. The method covers the range 0.01% to 2% manganese and is applicable to all grades of iron and steel.

[View on Information Provider website](#)

[AS/NZS 1050.8:1994 \(R2016\) Methods for the analysis of iron and steel - Determination of manganese content \(spectrophotometric method\)](#)

Description

This Joint Standard sets out a spectrophotometric method, using the permanganate ion formed by oxidation, for the determination of the manganese content of iron and steel. The method covers the range 0.01% to 2% manganese and is applicable to all grades of iron and steel.

[View on Information Provider website](#)

This resource does not cite any other resources.

AS/NZS 1050.8:1994 (R2016) Methods for the analysis of iron and steel - Determination of manganese content (spectrophotometric method)

This resource does not CITE any other resources.

Back

Close

Table of Contents

1 Scope

2 Referenced Documents

3 Principle

4 Reagents

5 Apparatus

6 Sampling

7 Procedure

8 Calculations

9 Precision

10 Acceptance Of Analytical Values

11 Test Report

[Save](#)

[Feedback](#)

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

[Feedback](#)