

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

[Save](#)

[Resource detail](#)
[Citations](#)

AS/NZS 1252:1996 High-strength steel bolts with associated nuts and washers for structural engineering

[View on Information Provider website](#)

Abbreviation

AS/NZS 1252:1996

Valid from

04/10/1996

Information provider

Standards New Zealand

Author

Standards New Zealand, Standards Australia

Information type

New Zealand Standard

Format

PDF

Cited By

[This resource is cited by 3 documents \(show Citations\)](#)

Description

This Standard specifies requirements for high strength steel bolts of property class 8.8 and steel nuts of property class 8 with ISO metric coarse pitch series threads and associated washers in diameters from 16 mm to 36 mm inclusive, mainly intended for use in steel structures.

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#)

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

AS/NZS 1252:1996 High-strength steel bolts with associated nuts and washers for structural engineering

This document is CITED BY:

- [AS 1657:2013](#)

AS/NZS 1252:1996 is cited by AS 1657:2013 Fixed platforms, walkways, stairways and ladders - Design, construction and installation

- [AS/NZS 4600:2005](#)

AS/NZS 1252:1996 is cited by AS/NZS 4600:2005 Cold-formed steel structures

- [NZS 3404 Parts 1 and 2:1997](#)

AS/NZS 1252:1996 is cited by NZS 3404 Parts 1 and 2:1997 Steel structures standard

Back

AS/NZS 1252:1996 High-strength steel bolts with associated nuts and washers for structural engineering

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

This Standard specifies requirements for high strength steel bolts of property class 8.8 and steel nuts of property class 8 with ISO metric coarse pitch series threads and associated washers in diameters from 16 mm to 36 mm inclusive, mainly intended for use in steel structures.

[View on Information Provider website](#)

[AS/NZS 1252:1996 High-strength steel bolts with associated nuts and washers for structural engineering](#)

Description

This Standard specifies requirements for high strength steel bolts of property class 8.8 and steel nuts of property class 8 with ISO metric coarse pitch series threads and associated washers in diameters from 16 mm to 36 mm inclusive, mainly intended for use in steel structures.

[View on Information Provider website](#)

This resource does not cite any other resources.

AS/NZS 1252:1996 High-strength steel bolts with associated nuts and washers for structural engineering

This resource does not CITE any other resources.

Back

Close

Table of Contents

1 Scope And General

1.1 Scope

1.2 Application

1.3 Referenced Documents

1.4 Definitions

1.5 Marking (See Figure 1.1)

1.6 Designation

2 High-Strength Steel Bolts

2.1 Method Of Manufacture

2.2 Shape, Dimensions And Finish

2.3 Materials And Mechanical Properties

2.4 Test Methods

3 High-Strength Steel Nuts

3.1 Method Of Manufacture

3.2 Shape, Dimensions And Finish

3.3 Material And Mechanical Properties

3.4 Test Methods

4 Flat Round Washers

4.1 Shape, Dimensions And Finish

4.2 Material And Heat Treatment

4.3 Hardness

Appendix A - Suggested Sampling Plan For Mechanical Properties

Appendix B - Recommended Gauge And Method For Checking The Squareness Of The Thread To The Face Of The Nut

Appendix C - Assembly Test For Coated Fasteners

Appendix D - Square Taper Washers

[Save](#)

[Feedback](#)

- [Contact us](#)
- [Privacy policy](#)

- [Disclaimer](#)
- [Copyright](#)

--	--	--

--

[Feedback](#)