Skip to main content Skip to primary navigation Menu Menu	
 Home Home About this portal Latest updates 	
Print Save Email Resource detail Citations	
AS/NZS 1462.11:1996 (R2017) Methods of test for plastics pland fittings - Method 11: Method for high temperature stres relief testing of fittings	-
View on Information Provider website {{ linkText }}	

<u>View on Information Provider website</u> {{ linkText }}

Abbreviation AS/NZS 1462.11:1996 Valid from 04/04/1996

Information provider
Standards New Zealand
Author
Standards New Zealand, Standards Australia
Information type
New Zealand Standard
Format
PDF

Cited By

This resource is cited by 6 documents (show Citations)

Description

This method sets out the procedure for detecting inclusions, voids, lack of fusion along weld lines, and residual stresses resulting from the moulding process.

For assistance with locating previous versions, please contact the information provider.

View on Information Provider website {{ linkText }}

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

AS/NZS 1462.11:1996 (R2017) Methods of test for plastics pipes and fittings - Method 11: Method for high temperature stress-relief testing of fittings

This document is CITED BY:

AS/NZS 1254:2010

AS/NZS 1462.11:1996 is cited by AS/NZS 1254:2010 PVC-U pipes and fittings for stormwater and surface

water applications

• AS/NZS 1260:1999

AS/NZS 1462.11:1996 is cited by AS/NZS 1260:1999 PVC pipes and fittings for drain, waste and vent applications

• AS/NZS 1260:2009

AS/NZS 1462.11:1996 is cited by AS/NZS 1260:2009 PVC-U Pipes and fittings for drain, waste and vent applications

AS/NZS 1260:2017

AS/NZS 1462.11:1996 is cited by AS/NZS 1260:2017 PVC-U pipes and fittings for drain, waste and vent applications

AS/NZS 1477:2006

AS/NZS 1462.11:1996 is cited by AS/NZS 1477:2006 PVC pipes and fittings for pressure applications

AS/NZS 3518:2013

AS/NZS 1462.11:1996 is cited by AS/NZS 3518:2013 Acrylonitrile butadiene styrene (ABS) compounds; pipes and fittings for pressure applications

Back

AS/NZS 1462.11:1996 (R2017) Methods of test for plastics pipes and fittings - Method 11: Method for high temperature stress-relief testing of fittings

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

This method sets out the procedure for detecting inclusions, voids, lack of fusion along weld lines, and residual stresses resulting from the moulding process.

View on Information Provider website

AS/NZS 1462.11:1996 (R2017) Methods of test for plastics pipes and fittings - Method 11: Method for high temperature stress-relief testing of fittings

Description

This method sets out the procedure for detecting inclusions, voids, lack of fusion along weld lines, and residual stresses resulting from the moulding process.

<u>View on Information Provider website</u>

This resource does not cite any other resources.

AS/NZS 1462.11:1996 (R2017) Methods of test for plastics pipes and fittings - Method 11: Method for high temperature stress-relief testing of fittings

This resource does not CITE any other resources.



Table of Contents

Print Save Email Feedback		7
	<u></u>	
Contact usPrivacy policyDisclaimerCopyright		
		<u>-</u>

<u>Feedback</u>