Skip to main content Skip to primary navigation Menu Menu
 <u>Home Home</u> <u>About this portal</u> <u>Latest updates</u>
Print Save Email Resource detail Citations
AS/NZS 1462.3:1998 (R2017) Methods of test for plastics pipes and fittings - Method 3: Method for determining the impact characteristics of pipes
Table of Contents
View on Information Provider website {{ linkText }}
Abbreviation AS/NZS 1462.3:1998
Valid from 04/12/1998
Information provider Standards New Zealand
Author
Standards New Zealand, Standards Australia Information type
New Zealand Standard
Format PDF
Cited By This resource is cited by 6 documents (show Citations)

Description

This Standard specifies a method for determining the impact characteristics of plastic pipes when subjected to multiple impacts at 20°C or 0°C, as appropriate.

For assistance with locating previous versions, please contact the information provider.

 Table of Contents
 View on Information Provider website
 {{ linkText }}

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

AS/NZS 1462.3:1998 (R2017) Methods of test for plastics pipes and fittings - Method 3: Method for determining the impact characteristics of pipes

This document is CITED BY:

• <u>AS/NZS 1254:2010</u>

AS/NZS 1462.3:1998 is cited by AS/NZS 1254:2010 PVC-U pipes and fittings for stormwater and surface water applications

• <u>AS/NZS 1260:1999</u>

AS/NZS 1462.3:1998 is cited by AS/NZS 1260:1999 PVC pipes and fittings for drain, waste and vent applications

• <u>AS/NZS 1260:2009</u>

AS/NZS 1462.3:1998 is cited by AS/NZS 1260:2009 PVC-U Pipes and fittings for drain, waste and vent applications

• <u>AS/NZS 1260:2017</u>

AS/NZS 1462.3:1998 is cited by AS/NZS 1260:2017 PVC-U pipes and fittings for drain, waste and vent applications

• <u>AS/NZS 1477:2006</u>

AS/NZS 1462.3:1998 is cited by AS/NZS 1477:2006 PVC pipes and fittings for pressure applications

• <u>AS/NZS 3518:2013</u>

AS/NZS 1462.3:1998 is cited by AS/NZS 3518:2013 Acrylonitrile butadiene styrene (ABS) compounds; pipes and fittings for pressure applications

Back

AS/NZS 1462.3:1998 (R2017) Methods of test for plastics pipes and fittings - Method 3: Method for determining the impact characteristics of pipes

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

This Standard specifies a method for determining the impact characteristics of plastic pipes when subjected to multiple impacts at 20°C or 0°C, as appropriate.

View on Information Provider website

AS/NZS 1462.3:1998 (R2017) Methods of test for plastics pipes and fittings - Method 3: Method for determining the impact characteristics of pipes

Description

This Standard specifies a method for determining the impact characteristics of plastic pipes when subjected to multiple impacts at 20°C or 0°C, as appropriate.

View on Information Provider website

This resource does not cite any other resources.

AS/NZS 1462.3:1998 (R2017) Methods of test for plastics pipes and fittings - Method 3: Method for determining the impact characteristics of pipes

This resource does not CITE any other resources.



Table of Contents

- 1 Scope
- 2 Principle
- **3 Relevance Of Test**
- 4 Apparatus
- **5 Test Specimens**
- **6** Criteria For Specimen Failure
- 7 Conditioning Of Test Specimens
- 8 Procedure
- 9 Determination Of Result

10 Report

