

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

[Save](#)

[Resource detail](#)
[Citations](#)

AS/NZS 1462.4:2002 (R2017) Methods of test for plastics pipes and fittings - Method 4: Method of determining reversion of UPVC pipes

[View on Information Provider website](#)

Abbreviation
AS/NZS 1462.4:2002
Valid from
03/07/2002

Information provider
Standards New Zealand
Author
Standards New Zealand, Standards Australia
Information type
New Zealand Standard
Format
PDF

Cited By
[This resource is cited by 8 documents \(show Citations\)](#)

Description

This Standard sets out the method for determining the degree of residual extrusion stress in plastic pipes by immersion in a heat transfer medium or exposure in a hot air oven. Temperatures of test, times of immersion/exposure and specifications for degree of residual stress shall be as specified in the relevant product standard.

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#)

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

AS/NZS 1462.4:2002 (R2017) Methods of test for plastics pipes and fittings - Method 4: Method of determining reversion of UPVC pipes

This document is CITED BY:

- [AS/NZS 1260:2009](#)

AS/NZS 1462.4:2002 is cited by AS/NZS 1260:2009 PVC-U Pipes and fittings for drain, waste and vent applications

- [AS/NZS 1260:2017](#)

AS/NZS 1462.4:2002 is cited by AS/NZS 1260:2017 PVC-U pipes and fittings for drain, waste and vent applications

- [AS/NZS 1477:2006](#)

AS/NZS 1462.4:2002 is cited by AS/NZS 1477:2006 PVC pipes and fittings for pressure applications

- [AS/NZS 3518:2013](#)

AS/NZS 1462.4:2002 is cited by AS/NZS 3518:2013 Acrylonitrile butadiene styrene (ABS) compounds; pipes and fittings for pressure applications

- [AS/NZS 4130:2009](#)

AS/NZS 1462.4:2002 is cited by AS/NZS 4130:2009 Polyethylene (PE) pipes for pressure applications

- [AS/NZS 4130:2018](#)

AS/NZS 1462.4:2002 is cited by AS/NZS 4130:2018 Polyethylene (PE) pipes for pressure applications

- [AS/NZS 4765:2007](#)

AS/NZS 1462.4:2002 is cited by AS/NZS 4765:2007 Modified polyvinyl chloride (PVC-M) pipes for pressure applications

- [AS/NZS 5065:2005](#)

AS/NZS 1462.4:2002 is cited by AS/NZS 5065:2005 (R2016) Polyethylene and polypropylene pipes and fittings for drainage and sewerage applications

Back

AS/NZS 1462.4:2002 (R2017) Methods of test for plastics pipes and fittings - Method 4: Method of determining reversion of UPVC pipes

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

This Standard sets out the method for determining the degree of residual extrusion stress in plastic pipes by immersion in a heat transfer medium or exposure in a hot air oven. Temperatures of test, times of immersion/exposure and specifications for degree of residual stress shall be as specified in the relevant product standard.

[View on Information Provider website](#)

[AS/NZS 1462.4:2002 \(R2017\) Methods of test for plastics pipes and fittings - Method 4: Method of determining reversion of UPVC pipes](#)

Description

This Standard sets out the method for determining the degree of residual extrusion stress in plastic pipes by immersion in a heat transfer medium or exposure in a hot air oven. Temperatures of test, times of immersion/exposure and specifications for degree of residual stress shall be as specified in the relevant product standard.

[View on Information Provider website](#)

This resource does not cite any other resources.

AS/NZS 1462.4:2002 (R2017) Methods of test for plastics pipes and fittings - Method 4: Method of determining reversion of UPVC pipes

This resource does not CITE any other resources.

Back

Close

Table of Contents

Print

[Save](#)

Email

[Feedback](#)

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

[Feedback](#)