

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

[Save](#)

[Resource detail](#)

[Citations](#)

AS/NZS 1580.101.1:1999 (R2013) Paints and related materials - Methods of test - Method 101.1: Conditions of test - Temperature, humidity and airflow control

[View on Information Provider website](#)

Abbreviation

AS/NZS 1580.101.1:1999 (R2013)

Valid from

05/05/1999

Replaces

Information provider

Standards New Zealand

Author

Standards New Zealand, Standards Australia

Information type

New Zealand Standard

Format

PDF

Cited By

[This resource is cited by 5 documents \(show Citations\)](#)

Description

This Standard specifies methods and conditions of test - Temperature, humidity and airflow control.

Scope

For assistance with locating previous versions, please contact the information provider.

Notes/comments

Standard reconfirmed in New Zealand 26 August 2013.

[View on Information Provider website](#)

For assistance with locating previous versions, please contact the information provider.

Standard reconfirmed in New Zealand 26 August 2013.

This resource is cited by:

AS/NZS 1580.101.1:1999 (R2013) Paints and related materials - Methods of test - Method 101.1: Conditions of test - Temperature, humidity and airflow control

This document is CITED BY:

- [AS 3730.10-2006](#)

AS/NZS 1580.101.1:1999 (R2013) is cited by AS 3730.10-2006 (R2016) Guide to the properties of paints for buildings. Part 10: Latex - Exterior - Gloss

- [AS 3730.6-2006 \(R2016\)](#)

AS/NZS 1580.101.1:1999 (R2013) is cited by AS 3730.6-2006 (R2016) Guide to the properties of paints for buildings. Part 6: Solvent-borne - Exterior - Full gloss enamel

- [AS 3730.7-2006 \(R2016\)](#)

AS/NZS 1580.101.1:1999 (R2013) is cited by AS 3730.7-2006 (R2016) Guide to the properties of paints for buildings. Part 7: Latex - Exterior - Flat

- [AS 3730.8-2006 \(R2016\)](#)

AS/NZS 1580.101.1:1999 (R2013) is cited by AS 3730.8-2006 (R2016) Guide to the properties of paints for buildings. Part 8: Latex - Exterior - Low-gloss

- [AS 3730.9-2006 \(R2016\)](#)

AS/NZS 1580.101.1:1999 (R2013) is cited by AS 3730.9-2006 (R2016) Guide to the properties of paints for buildings. Part 9: Latex - Exterior - Semi-gloss

[Back](#)

AS/NZS 1580.101.1:1999 (R2013) Paints and related materials - Methods of test - Method 101.1: Conditions of test - Temperature, humidity and airflow control

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

This Standard specifies methods and conditions of test - Temperature, humidity and airflow control.

[View on Information Provider website](#)

[AS/NZS 1580.101.1:1999 \(R2013\) Paints and related materials - Methods of test - Method 101.1: Conditions of test - Temperature, humidity and airflow control](#)

Description

This Standard specifies methods and conditions of test - Temperature, humidity and airflow control.

[View on Information Provider website](#)

This resource does not cite any other resources.

AS/NZS 1580.101.1:1999 (R2013) Paints and related materials - Methods of test - Method 101.1: Conditions of test - Temperature, humidity and airflow control

This resource does not CITE any other resources.

[Back](#)

Close

Table of Contents

Print [Save](#) Email

[Feedback](#)

| | | |
|--|--|--|
| | | |
| | | |
| | | |

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

| | | |
|--|--|--|
| | | |
| | | |

[Feedback](#)