

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

[Save](#)

[Resource detail](#)
[Citations](#)

AS/NZS 1580.101.5:1999 (R2013) Paints and related materials - Methods of test - Method 101.5: Conditions of test - Temperature and humidity control

[View on Information Provider website](#)

Abbreviation

AS/NZS 1580.101.5:1999 (R2013)

Valid from

05/05/1999

Information provider

Standards New Zealand

Author

Standards New Zealand, Standards Australia

Information type

New Zealand Standard

Format

PDF

Cited By

[This resource is cited by 5 documents \(show Citations\)](#)

Description

This standard sets out requirements for the normal conditioning and testing of paints and painted panels, where temperature and humidity are controlled.

Scope

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#)

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

AS/NZS 1580.101.5:1999 (R2013) Paints and related materials - Methods of test - Method 101.5: Conditions of test - Temperature and humidity control

This document is CITED BY:

- [AS 3730.10-2006](#)

AS/NZS 1580.101.5:1999 (R2013) is cited by AS 3730.10-2006 (R2016) Guide to the properties of paints for buildings. Part 10: Latex - Exterior - Gloss

- [AS 3730.6-2006 \(R2016\)](#)

AS/NZS 1580.101.5:1999 (R2013) is cited by AS 3730.6-2006 (R2016) Guide to the properties of paints for buildings. Part 6: Solvent-borne - Exterior - Full gloss enamel

- [AS 3730.7-2006 \(R2016\)](#)

AS/NZS 1580.101.5:1999 (R2013) is cited by AS 3730.7-2006 (R2016) Guide to the properties of paints for buildings. Part 7: Latex - Exterior - Flat

- [AS 3730.8-2006 \(R2016\)](#)

AS/NZS 1580.101.5:1999 (R2013) is cited by AS 3730.8-2006 (R2016) Guide to the properties of paints for buildings. Part 8: Latex - Exterior - Low-gloss

- [AS 3730.9-2006 \(R2016\)](#)

AS/NZS 1580.101.5:1999 (R2013) is cited by AS 3730.9-2006 (R2016) Guide to the properties of paints for buildings. Part 9: Latex - Exterior - Semi-gloss

Back

AS/NZS 1580.101.5:1999 (R2013) Paints and related materials - Methods of test - Method 101.5: Conditions of test - Temperature and humidity control

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

This standard sets out requirements for the normal conditioning and testing of paints and painted panels, where temperature and humidity are controlled.

[View on Information Provider website](#)

[AS/NZS 1580.101.5:1999 \(R2013\) Paints and related materials - Methods of test - Method 101.5: Conditions of test - Temperature and humidity control](#)

Description

This standard sets out requirements for the normal conditioning and testing of paints and painted panels, where temperature and humidity are controlled.

[View on Information Provider website](#)

This resource does not cite any other resources.

AS/NZS 1580.101.5:1999 (R2013) Paints and related materials - Methods of test - Method 101.5: Conditions of test - Temperature and humidity control

This resource does not CITE any other resources.

Back

Close

Table of Contents

Print Save Email

[Feedback](#)

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

[Feedback](#)