

Menu

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

Print [Save](#) Email

[Resource detail](#)

[Citations](#)

AS/NZS 1580.204.1:1998 (R2013) Paints and related materials - Methods of test - Method 204.1: Fineness of grind

[View on Information Provider website](#)

Abbreviation

AS/NZS 1580.204.1:1998 (R2013)

Valid from

05/01/1998

Replaces

Information provider

Standards New Zealand

Author

Standards New Zealand, Standards Australia

Information type

New Zealand Standard

Format

PDF

Cited By

[This resource is cited by 5 documents \(show Citations\)](#)

Description

This Standard describes a procedure for determining the fineness of grind of paints and related materials.

Scope

The method is applicable to most types of paints and related materials, but care is required to obtain reliable results when the fineness of grind is less than 20 mm. Particular caution is required when interpreting readings of less than 10 mm.

Note: This method is designed for use by operators with good eyesight or corrected vision.

For assistance with locating previous versions, please contact the information provider.

Notes/comments

Standard reconfirmed in New Zealand 26 August 2013.

[View on Information Provider website](#)

For assistance with locating previous versions, please contact the information provider.

Standard reconfirmed in New Zealand 26 August 2013.

This resource is cited by:

AS/NZS 1580.204.1:1998 (R2013) Paints and related materials - Methods of test - Method 204.1: Fineness of grind

This document is CITED BY:

- [AS 3730.10-2006](#)

AS/NZS 1580.204.1:1998 (R2013) is cited by AS 3730.10-2006 (R2016) Guide to the properties of paints for buildings. Part 10: Latex - Exterior - Gloss

- [AS 3730.6-2006 \(R2016\)](#)

AS/NZS 1580.204.1:1998 (R2013) is cited by AS 3730.6-2006 (R2016) Guide to the properties of paints for buildings. Part 6: Solvent-borne - Exterior - Full gloss enamel

- [AS 3730.7-2006 \(R2016\)](#)

AS/NZS 1580.204.1:1998 (R2013) is cited by AS 3730.7-2006 (R2016) Guide to the properties of paints for buildings. Part 7: Latex - Exterior - Flat

- [AS 3730.8-2006 \(R2016\)](#)

AS/NZS 1580.204.1:1998 (R2013) is cited by AS 3730.8-2006 (R2016) Guide to the properties of paints for buildings. Part 8: Latex - Exterior - Low-gloss

- [AS 3730.9-2006 \(R2016\)](#)

AS/NZS 1580.204.1:1998 (R2013) is cited by AS 3730.9-2006 (R2016) Guide to the properties of paints for buildings. Part 9: Latex - Exterior - Semi-gloss

Back

AS/NZS 1580.204.1:1998 (R2013) Paints and related materials - Methods of test - Method 204.1: Fineness of grind

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

This Standard describes a procedure for determining the fineness of grind of paints and related materials.

[View on Information Provider website](#)

[AS/NZS 1580.204.1:1998 \(R2013\) Paints and related materials - Methods of test - Method 204.1: Fineness of grind](#)

Description

This Standard describes a procedure for determining the fineness of grind of paints and related materials.

[View on Information Provider website](#)

This resource does not cite any other resources.

AS/NZS 1580.204.1:1998 (R2013) Paints and related materials - Methods of test - Method 204.1: Fineness of grind

This resource does not CITE any other resources.

Back

Close

Table of Contents

Print

[Save](#)

Email

[Feedback](#)

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

[Feedback](#)