

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

  
  

[Save](#)

[Resource detail](#)  
[Citations](#)

## AS/NZS 1580.205.1:1997 (R2013) Paints and related materials - Methods of test - Method 205.1: Application properties - Brushing

[View on Information Provider website](#)

### Abbreviation

AS/NZS 1580.205.1:1997

### Valid from

04/12/1997

---

### Information provider

Standards New Zealand

### Author

Standards New Zealand, Standards Australia

### Information type

New Zealand Standard

### Format

PDF

---

### Cited By

[This resource is cited by 5 documents \(show Citations\)](#)

---

### Description

This Standard sets out a procedure for determining the suitability of a paint for application by brushing. It provides for the assessment of defects observed during and after application of the paint.

For assistance with locating previous versions, please contact the information provider.

### Notes/comments

Standard reconfirmed 19 September 2013

[View on Information Provider website](#)

For assistance with locating previous versions, please contact the information provider.

Standard reconfirmed 19 September 2013

**This resource is cited by:**

# AS/NZS 1580.205.1:1997 (R2013) Paints and related materials - Methods of test - Method 205.1: Application properties - Brushing

This document is CITED BY:

- [AS 3730.10-2006](#)

AS/NZS 1580.205.1:1997 is cited by AS 3730.10-2006 (R2016) Guide to the properties of paints for buildings. Part 10: Latex - Exterior - Gloss

- [AS 3730.6-2006 \(R2016\)](#)

AS/NZS 1580.205.1:1997 is cited by AS 3730.6-2006 (R2016) Guide to the properties of paints for buildings. Part 6: Solvent-borne - Exterior - Full gloss enamel

- [AS 3730.7-2006 \(R2016\)](#)

AS/NZS 1580.205.1:1997 is cited by AS 3730.7-2006 (R2016) Guide to the properties of paints for buildings. Part 7: Latex - Exterior - Flat

- [AS 3730.8-2006 \(R2016\)](#)

AS/NZS 1580.205.1:1997 is cited by AS 3730.8-2006 (R2016) Guide to the properties of paints for buildings. Part 8: Latex - Exterior - Low-gloss

- [AS 3730.9-2006 \(R2016\)](#)

AS/NZS 1580.205.1:1997 is cited by AS 3730.9-2006 (R2016) Guide to the properties of paints for buildings. Part 9: Latex - Exterior - Semi-gloss

Back

# AS/NZS 1580.205.1:1997 (R2013) Paints and related materials - Methods of test - Method 205.1: Application properties - Brushing

Show what documents this resource is CITED BY

Show what documents this resource CITES

## Description

This Standard sets out a procedure for determining the suitability of a paint for application by brushing. It provides for the assessment of defects observed during and after application of the paint.

[View on Information Provider website](#)

[AS/NZS 1580.205.1:1997 \(R2013\) Paints and related materials - Methods of test - Method 205.1: Application properties - Brushing](#)

## Description

This Standard sets out a procedure for determining the suitability of a paint for application by brushing. It provides for the assessment of defects observed during and after application of the paint.

[View on Information Provider website](#)

This resource does not cite any other resources.

# AS/NZS 1580.205.1:1997 (R2013) Paints and related materials - Methods of test - Method 205.1: Application properties - Brushing

This resource does not CITE any other resources.

Back

Close

Table of Contents

## 1 Scope

## 2 Referenced Documents

## 3 Principle

## 4 Apparatus

## 5 Test Panel

## 6 Sample

## 7 Test Conditions

## 8 Procedure

## 9 Report

Print

[Save](#)

Email

[Feedback](#)


- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)


[Feedback](#)