Skip to main content Skip to primary navigation
Menu
<ul> <li>Home Home</li> <li>About this portal</li> <li>Latest updates</li> </ul>
Print Save Email
Resource detail Citations
AS/NZS 1580.211.1:1995 (R2013) Paints and related materials - Methods of test - Method 211.1: Degree of settling
Table of Contents
View on Information Provider website {{ linkText }}
Abbreviation     AS/NZS 1580.211.1:1995 Valid from     04/07/1995
Information provider Standards New Zealand Author Standards New Zealand, Standards Australia Information type New Zealand Standard Format PDF
Cited By  This resource is cited by 5 documents (show Citations)
Description
This Standard specifies requirements for evaluating the degree of settling of samples of paints and related materials in standard 500 mL containers.
For assistance with locating previous versions, please contact the information provider.
Notes/comments
Standard reconfirmed 18 September 2013
Table of Contents View on Information Provider website {{ linkText }}
For assistance with locating previous versions, please contact the information provider.
Standard reconfirmed 18 September 2013
This resource is cited by:

## AS/NZS 1580.211.1:1995 (R2013) Paints and related materials - Methods of test - Method 211.1: Degree of settling

This document is CITED BY:

AS 3730.10-2006

AS/NZS 1580.211.1:1995 is cited by AS 3730.10-2006 (R2016) Guide to the properties of paints for buildings. Part 10: Latex - Exterior - Gloss

• AS 3730.6-2006 (R2016)

AS/NZS 1580.211.1:1995 is cited by AS 3730.6-2006 (R2016) Guide to the properties of paints for buildings. Part 6: Solvent-borne - Exterior - Full gloss enamel

• AS 3730.7-2006 (R2016)

AS/NZS 1580.211.1:1995 is cited by AS 3730.7-2006 (R2016) Guide to the properties of paints for buildings. Part 7: Latex - Exterior - Flat

• AS 3730.8-2006 (R2016)

AS/NZS 1580.211.1:1995 is cited by AS 3730.8-2006 (R2016) Guide to the properties of paints for buildings. Part 8: Latex - Exterior - Low-gloss

AS 3730.9-2006 (R2016)

AS/NZS 1580.211.1:1995 is cited by AS 3730.9-2006 (R2016) Guide to the properties of paints for buildings. Part 9: Latex - Exterior - Semi-gloss

Back

## AS/NZS 1580.211.1:1995 (R2013) Paints and related materials - Methods of test - Method 211.1: Degree of settling

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

This Standard specifies requirements for evaluating the degree of settling of samples of paints and related materials in standard 500 mL containers.

View on Information Provider website

AS/NZS 1580.211.1:1995 (R2013) Paints and related materials - Methods of test - Method 211.1: Degree of settling

Description

This Standard specifies requirements for evaluating the degree of settling of samples of paints and related materials in standard 500 mL containers.

View on Information Provider website

This resource does not cite any other resources.


## AS/NZS 1580.211.1:1995 (R2013) Paints and related materials - Methods of test - Method 211.1: Degree of settling

This resource does not CITE any other resources.



**Table of Contents** 

- 1 Scope
- **2 Referenced Document**
- 3 Principle
- 4 Apparatus
- **5 Test Conditions**
- **6 Procedure**
- 7 Report



<u>Feedback</u>