

Menu

- [Home](#) Home
- [About this portal](#)
- [Latest updates](#)

Print

[Save](#)

Email

[Resource detail](#)
[Citations](#)

AS/NZS 1580.211.2:1995 (R2013) Paints and related materials - Methods of test - Method 211.2: Ease of manual re-incorporation

Table of Contents

[View on Information Provider website](#)

{{ linkText }}

Abbreviation
 AS/NZS 1580.211.2:1995
 Valid from
 04/07/1995

Information provider
 Standards New Zealand
 Author
 Standards New Zealand, Standards Australia
 Information type
 New Zealand Standard
 Format
 PDF

Cited By
[This resource is cited by 5 documents \(show Citations\)](#)

Description

This Standard sets out a procedure for assessing the ease of manual re-incorporation of paints and related materials in standard 500 mL containers.

For assistance with locating previous versions, please contact the information provider.

Notes/comments

Standard reconfirmed 18 September 2013

Table of Contents

[View on Information Provider website](#)

{{ linkText }}

For assistance with locating previous versions, please contact the information provider.

Standard reconfirmed 18 September 2013

This resource is cited by:

AS/NZS 1580.211.2:1995 (R2013) Paints and related materials - Methods of test - Method 211.2: Ease of manual re-incorporation

This document is CITED BY:

- [AS 3730.10-2006](#)

AS/NZS 1580.211.2:1995 is cited by AS 3730.10-2006 (R2016) Guide to the properties of paints for buildings. Part 10: Latex - Exterior - Gloss

- [AS 3730.6-2006 \(R2016\)](#)

AS/NZS 1580.211.2:1995 is cited by AS 3730.6-2006 (R2016) Guide to the properties of paints for buildings. Part 6: Solvent-borne - Exterior - Full gloss enamel

- [AS 3730.7-2006 \(R2016\)](#)

AS/NZS 1580.211.2:1995 is cited by AS 3730.7-2006 (R2016) Guide to the properties of paints for buildings. Part 7: Latex - Exterior - Flat

- [AS 3730.8-2006 \(R2016\)](#)

AS/NZS 1580.211.2:1995 is cited by AS 3730.8-2006 (R2016) Guide to the properties of paints for buildings. Part 8: Latex - Exterior - Low-gloss

- [AS 3730.9-2006 \(R2016\)](#)

AS/NZS 1580.211.2:1995 is cited by AS 3730.9-2006 (R2016) Guide to the properties of paints for buildings. Part 9: Latex - Exterior - Semi-gloss

Back

AS/NZS 1580.211.2:1995 (R2013) Paints and related materials - Methods of test - Method 211.2: Ease of manual re-incorporation

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

This Standard sets out a procedure for assessing the ease of manual re-incorporation of paints and related materials in standard 500 mL containers.

[View on Information Provider website](#)

[AS/NZS 1580.211.2:1995 \(R2013\) Paints and related materials - Methods of test - Method 211.2: Ease of manual re-incorporation](#)

Description

This Standard sets out a procedure for assessing the ease of manual re-incorporation of paints and related materials in standard 500 mL containers.

[View on Information Provider website](#)

This resource does not cite any other resources.

AS/NZS 1580.211.2:1995 (R2013) Paints and related materials - Methods of test - Method 211.2: Ease of manual re-incorporation

This resource does not CITE any other resources.

Back

Close

Table of Contents

1 Scope

2 Referenced Documents

3 Principle

4 Apparatus

5 Test Conditions

6 Procedure

7 Report

Print [Save](#) Email

[Feedback](#)

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

[Feedback](#)