

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

[Save](#)

[Resource detail](#)
[Citations](#)

AS/NZS 1580.481.1.2:1998 (R2013) Paints and related materials - Methods of test Coatings - Method 481.1.2: Exposed to weathering - Discolouration (including bronzing)

[View on Information Provider website](#)

Abbreviation

AS/NZS 1580.481.1.2:1998 (R2013)

Valid from

05/07/1998

Replaces

Information provider

Standards New Zealand

Author

Standards New Zealand, Standards Australia

Information type

New Zealand Standard

Format

PDF

Cited By

[This resource is cited by 5 documents \(show Citations\)](#)

Description

This Standard sets out a method for determining any visible discolouration, including bronzing, of test films that have been exposed to weathering.

Scope

For assistance with locating previous versions, please contact the information provider.

Notes/comments

Standard reconfirmed in New Zealand 26 August 2013

[View on Information Provider website](#)

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

AS/NZS 1580.481.1.2:1998 (R2013) Paints and related materials - Methods of test Coatings - Method 481.1.2: Exposed to weathering - Discolouration (including bronzing)

This document is CITED BY:

- [AS 3730.10-2006](#)

AS/NZS 1580.481.1.2:1998 (R2013) is cited by AS 3730.10-2006 (R2016) Guide to the properties of paints for buildings. Part 10: Latex - Exterior - Gloss

- [AS 3730.6-2006 \(R2016\)](#)

AS/NZS 1580.481.1.2:1998 (R2013) is cited by AS 3730.6-2006 (R2016) Guide to the properties of paints for buildings. Part 6: Solvent-borne - Exterior - Full gloss enamel

- [AS 3730.7-2006 \(R2016\)](#)

AS/NZS 1580.481.1.2:1998 (R2013) is cited by AS 3730.7-2006 (R2016) Guide to the properties of paints for buildings. Part 7: Latex - Exterior - Flat

- [AS 3730.8-2006 \(R2016\)](#)

AS/NZS 1580.481.1.2:1998 (R2013) is cited by AS 3730.8-2006 (R2016) Guide to the properties of paints for buildings. Part 8: Latex - Exterior - Low-gloss

- [AS 3730.9-2006 \(R2016\)](#)

AS/NZS 1580.481.1.2:1998 (R2013) is cited by AS 3730.9-2006 (R2016) Guide to the properties of paints for buildings. Part 9: Latex - Exterior - Semi-gloss

Back

AS/NZS 1580.481.1.2:1998 (R2013) Paints and related materials - Methods of test Coatings - Method 481.1.2: Exposed to weathering - Discolouration (including bronzing)

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

This Standard sets out a method for determining any visible discolouration, including bronzing, of test films that have been exposed to weathering.

[View on Information Provider website](#)

[AS/NZS 1580.481.1.2:1998 \(R2013\) Paints and related materials - Methods of test Coatings - Method 481.1.2: Exposed to weathering - Discolouration \(including bronzing\)](#)

Description

This Standard sets out a method for determining any visible discolouration, including bronzing, of test films that have been exposed to weathering.

[View on Information Provider website](#)

This resource does not cite any other resources.

AS/NZS 1580.481.1.2:1998 (R2013) Paints and related materials - Methods of test Coatings - Method 481.1.2: Exposed to weathering - Discolouration (including bronzing)

This resource does not CITE any other resources.

Back

Close

Table of Contents

This Standard sets out a method for determining any visible discolouration, including bronzing, of test films that have been exposed to weathering.

Print

[Save](#)

Email

[Feedback](#)

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

[Feedback](#)