

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

[Save](#)

[Resource detail](#)
[Citations](#)

AS/NZS 1580.481.1.7:1998 (R2013) Methods of test for paints and related materials - Exposed to weathering - Degree of checking

[View on Information Provider website](#)

Abbreviation

AS/NZS 1580.481.1.7:1998

Version

Reconfirmed in 2013

Valid from

04/07/1998

Information provider

Standards New Zealand

Author

Standards New Zealand, Standards Australia

Information type

New Zealand Standard

Format

Hard copy, PDF

Cited By

[This resource is cited by 9 documents \(show Citations\)](#)

Description

This Standard sets out a method for determining the degree of checking in a paint film that has been exposed to weathering.

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#)

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

AS/NZS 1580.481.1.7:1998 (R2013) Methods of test for paints and related materials - Exposed to weathering - Degree of checking

This document is CITED BY:

- [AS 3566.2-2002](#)

AS/NZS 1580.481.1.7:1998 is cited by AS 3566.2-2002 Self-drilling screws for the building and construction industries. Part 2: Corrosion resistance requirements

- [AS 3730.10-2006](#)

AS/NZS 1580.481.1.7:1998 is cited by AS 3730.10-2006 (R2016) Guide to the properties of paints for buildings. Part 10: Latex - Exterior - Gloss

- [AS 3730.6-2006 \(R2016\)](#)

AS/NZS 1580.481.1.7:1998 is cited by AS 3730.6-2006 (R2016) Guide to the properties of paints for buildings. Part 6: Solvent-borne - Exterior - Full gloss enamel

- [AS 3730.7-2006 \(R2016\)](#)

AS/NZS 1580.481.1.7:1998 is cited by AS 3730.7-2006 (R2016) Guide to the properties of paints for buildings. Part 7: Latex - Exterior - Flat

- [AS 3730.8-2006 \(R2016\)](#)

AS/NZS 1580.481.1.7:1998 is cited by AS 3730.8-2006 (R2016) Guide to the properties of paints for buildings. Part 8: Latex - Exterior - Low-gloss

- [AS 3730.9-2006 \(R2016\)](#)

AS/NZS 1580.481.1.7:1998 is cited by AS 3730.9-2006 (R2016) Guide to the properties of paints for buildings. Part 9: Latex - Exterior - Semi-gloss

- [AS/NZS 2728: 2007](#)

AS/NZS 1580.481.1.7:1998 is cited by AS/NZS 2728: 2007 Prefinished/prepainted sheet metal products for interior/exterior building applications - Performance requirements

- [AS/NZS 2728: 2013](#)

AS/NZS 1580.481.1.7:1998 is cited by AS/NZS 2728: 2013 Prefinished/prepainted sheet metal products for interior/exterior building applications - Performance requirements

- [BRANZ EM4](#)

AS/NZS 1580.481.1.7:1998 is cited by Test Procedure for Coating and Jointing Systems for Flush Finished Fibre Cement Sheet Cladding, EM4 (2005)

[Back](#)

AS/NZS 1580.481.1.7:1998 (R2013) Methods of test for paints and related materials - Exposed to weathering - Degree of checking

[Show what documents this resource is CITED BY](#)

[Show what documents this resource CITES](#)

Description

This Standard sets out a method for determining the degree of checking in a paint film that has been exposed to weathering.

[View on Information Provider website](#)

[AS/NZS 1580.481.1.7:1998 \(R2013\) Methods of test for paints and related materials - Exposed to weathering - Degree of checking](#)

Description

This Standard sets out a method for determining the degree of checking in a paint film that has been exposed to weathering.

[View on Information Provider website](#)

This resource does not cite any other resources.

AS/NZS 1580.481.1.7:1998 (R2013) Methods of test for paints and related materials - Exposed to weathering - Degree of checking

This resource does not CITE any other resources.

Back

Close

Table of Contents

1 Scope

2 Referenced Documents

3 Definitions

4 Principle

5 Apparatus

6 Viewing Environment

7 Procedure

8 Report

Print

[Save](#)

Email

[Feedback](#)

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

[Feedback](#)