

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

  
  

[Resource detail](#)  
[Citations](#)

## AS/NZS 1580.481.1.8:1998 (R2013) Methods of test for paints and related materials - Exposed to weathering - Degree of cracking

[View on Information Provider website](#)

### Abbreviation

AS/NZS 1580.481.1.8:1998

### Version

Reconfirmed in 2013

### Valid from

04/07/1998

---

### Information provider

Standards New Zealand

### Author

Standards New Zealand, Standards Australia

### Information type

New Zealand Standard

### Format

Hard copy, PDF

---

### Cited By

[This resource is cited by 9 documents \(show Citations\)](#)

---

### Description

This Standard describes a method for determining the degree of cracking in a paint film that has been exposed to weathering conditions.

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#)

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

## AS/NZS 1580.481.1.8:1998 (R2013) Methods of test for paints and related materials - Exposed to weathering - Degree of cracking

This document is CITED BY:

- [AS 3566.2-2002](#)

AS/NZS 1580.481.1.8:1998 is cited by AS 3566.2-2002 Self-drilling screws for the building and construction industries. Part 2: Corrosion resistance requirements

- [AS 3730.10-2006](#)

AS/NZS 1580.481.1.8:1998 is cited by AS 3730.10-2006 (R2016) Guide to the properties of paints for buildings. Part 10: Latex - Exterior - Gloss

- [AS 3730.6-2006 \(R2016\)](#)

AS/NZS 1580.481.1.8:1998 is cited by AS 3730.6-2006 (R2016) Guide to the properties of paints for buildings. Part 6: Solvent-borne - Exterior - Full gloss enamel

- [AS 3730.7-2006 \(R2016\)](#)

AS/NZS 1580.481.1.8:1998 is cited by AS 3730.7-2006 (R2016) Guide to the properties of paints for buildings. Part 7: Latex - Exterior - Flat

- [AS 3730.8-2006 \(R2016\)](#)

AS/NZS 1580.481.1.8:1998 is cited by AS 3730.8-2006 (R2016) Guide to the properties of paints for buildings. Part 8: Latex - Exterior - Low-gloss

- [AS 3730.9-2006 \(R2016\)](#)

AS/NZS 1580.481.1.8:1998 is cited by AS 3730.9-2006 (R2016) Guide to the properties of paints for buildings. Part 9: Latex - Exterior - Semi-gloss

- [AS/NZS 2728: 2007](#)

AS/NZS 1580.481.1.8:1998 is cited by AS/NZS 2728: 2007 Prefinished/prepainted sheet metal products for interior/exterior building applications - Performance requirements

- [AS/NZS 2728: 2013](#)

AS/NZS 1580.481.1.8:1998 is cited by AS/NZS 2728: 2013 Prefinished/prepainted sheet metal products for interior/exterior building applications - Performance requirements

- [BRANZ EM4](#)

AS/NZS 1580.481.1.8:1998 is cited by Test Procedure for Coating and Jointing Systems for Flush Finished Fibre Cement Sheet Cladding, EM4 (2005)

Back

## AS/NZS 1580.481.1.8:1998 (R2013) Methods of test for paints and related materials - Exposed to weathering - Degree of cracking

Show what documents this resource is CITED BY

Show what documents this resource CITES

### Description

This Standard describes a method for determining the degree of cracking in a paint film that has been exposed to weathering conditions.

[View on Information Provider website](#)

[AS/NZS 1580.481.1.8:1998 \(R2013\) Methods of test for paints and related materials - Exposed to weathering - Degree of cracking](#)

### Description

This Standard describes a method for determining the degree of cracking in a paint film that has been exposed to weathering

conditions.

[View on Information Provider website](#)

This resource does not cite any other resources.

# AS/NZS 1580.481.1.8:1998 (R2013) Methods of test for paints and related materials - Exposed to weathering - Degree of cracking

This resource does not CITE any other resources.

Back

Close

Table of Contents

## 1 Scope

## 2 Referenced Documents

## 3 Definitions

## 4 Principle

## 5 Apparatus

## 6 Viewing Environment

## 7 Procedure

## 8 Report

Print [Save](#) Email

[Feedback](#)


- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)


[Feedback](#)