

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

[Print](#) [Save](#) [Email](#)

[Resource detail](#)
[Citations](#)

AS/NZS 1604.5:2002 Specification for preservative treatment - Part 5: Glued laminated timber products

[Table of Contents](#)

[View on Information Provider website](#) [{{ linkText }}](#)

Abbreviation

AS/NZS 1604.5:2002

Valid from

03/01/2002

Information provider

Standards New Zealand

Author

Standards New Zealand, Standards Australia

Information type

New Zealand Standard

Format

PDF

Cited By

[This resource is cited by 1 document \(show Citations\)](#)

Description

This Standard provides a specification for preservative treatment for protection against decay or insect attack upon glue-laminated timber product. Specifies preservative penetration patterns, and the preservative retention requirements suitable for each of hazard classes H1 to H4.

Scope

This Standard sets out a specification for preservative treatment of glued laminated timber products. This Standard specifies the preservative penetration pattern and the preservative retention requirements suitable for each hazard class (see Table 1).

This Standard does not cover grade or seasoning condition.

For assistance with locating previous versions, please contact the information provider.

Notes/comments

This Standard is superseded by AS/NZS 1604.4:2012

[Table of Contents](#) [View on Information Provider website](#) [{{ linkText }}](#)

This Standard is superseded by AS/NZS 1604.4:2012

This resource is cited by:

AS/NZS 1604.5:2002 Specification for preservative treatment - Part 5: Glued laminated timber products

This document is CITED BY:

- [NZS 3602:2003](#)

AS/NZS 1604.5:2002 is cited by NZS 3602:2003 Timber and wood-based products for use in building

Back

AS/NZS 1604.5:2002 Specification for preservative treatment - Part 5: Glued laminated timber products

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

This Standard provides a specification for preservative treatment for protection against decay or insect attack upon glue-laminated timber product. Specifies preservative penetration patterns, and the preservative retention requirements suitable for each of hazard classes H1 to H4.

[View on Information Provider website](#)

[AS/NZS 1604.5:2002 Specification for preservative treatment - Part 5: Glued laminated timber products](#)

Description

This Standard provides a specification for preservative treatment for protection against decay or insect attack upon glue-laminated timber product. Specifies preservative penetration patterns, and the preservative retention requirements suitable for each of hazard classes H1 to H4.

[View on Information Provider website](#)

This resource does not cite any other resources.

AS/NZS 1604.5:2002 Specification for preservative treatment - Part 5: Glued laminated timber products

This resource does not CITE any other resources.

Back

Close

Table of Contents

Section 1 Scope And General

1.1 Scope

1.2 Application

1.3 Referenced Documents

1.4 Definitions

1.5 Timber Preservatives

1.6 Product Requirements

1.7 Selections Of Hazard Class Number

1.8 Preservative Treatment

Section 2 Hazard Class 1

2.1 General

2.2 Preservative Penetration Requirement

2.3 Preservative Retention Requirement

Section 3 Hazard Class 2

3.1 General

3.2 Preservative Penetration Requirement

3.3 Preservative Retention Requirement

Section 4 Hazard Class 3

4.1 General

4.2 Preservative Penetration Requirement

4.3 Preservative Retention Requirement

Section 5 Hazard Class 4

5.1 General

5.2 Preservative Penetration Requirement

5.3 Preservative Retention Requirement

Section 6 Marking

6.1 Legible Marking

6.2 Marking Information

6.3 Numerical Layout Of Brands

6.4 Compliance Testing

Appendices

A Guide To Hazard Classifications For Various End-Use Applications

B Method Of Selection And Preparation Of Test Specimen

Print

[Save](#)

Email

[Feedback](#)

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

[Feedback](#)