

Menu

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

Print [Save](#) Email

[Resource detail](#)

[Citations](#)

AS/NZS 1605.2:2006 Methods for sampling and analysing timber preservatives and preservative-treated timber - Part 2. Determination of preservative penetration by spot tests

Table of Contents

[View on Information Provider website](#)

Abbreviation

AS/NZS 1605.2:2006

Valid from

26/06/2006

Replaces

[AS/NZS 1605:2000](#)

Information provider

Standards New Zealand

Author

Standards New Zealand, Standards Australia

Information type

New Zealand Standard

Format

PDF

Cited By

[This resource is cited by 1 document \(show Citations\)](#)

Description

This Standard sets out the method for determining the penetration of preservative into sawn and round timber.

It deals with the preparation of material for testing and the methods for determining the penetration of creosote, boron, copper in copper-based preservatives, pentachlorophenol, tin, and fluorine.

For assistance with locating previous versions, please contact the information provider.

Table of Contents

[View on Information Provider website](#)

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

AS/NZS 1605.2:2006 Methods for sampling and analysing timber preservatives

and preservative-treated timber - Part 2. Determination of preservative penetration by spot tests

This document is CITED BY:

- [NZS 3640:2003](#)

AS/NZS 1605.2:2006 is cited by NZS 3640:2003 Chemical preservation of round and sawn timber

Back

AS/NZS 1605.2:2006 Methods for sampling and analysing timber preservatives and preservative-treated timber - Part 2. Determination of preservative penetration by spot tests

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

This Standard sets out the method for determining the penetration of preservative into sawn and round timber.

It deals with the preparation of material for testing and the methods for determining the penetration of creosote, boron, copper in copper-based preservatives, pentachlorophenol, tin, and fluorine.

[View on Information Provider website](#)

[AS/NZS 1605.2:2006 Methods for sampling and analysing timber preservatives and preservative-treated timber - Part 2. Determination of preservative penetration by spot tests](#)

Description

This Standard sets out the method for determining the penetration of preservative into sawn and round timber.

It deals with the preparation of material for testing and the methods for determining the penetration of creosote, boron, copper in copper-based preservatives, pentachlorophenol, tin, and fluorine.

[View on Information Provider website](#)

This resource does not cite any other resources.

AS/NZS 1605.2:2006 Methods for sampling and analysing timber preservatives and preservative-treated timber - Part 2. Determination of preservative penetration by spot tests

This resource does not CITE any other resources.

Back

Close

Table of Contents

Section 1 Scope And General

1.1 Scope

1.2 Application

1.3 Referenced And Related Documents

1.4 Definitions

1.5 Preparation Of Test Pieces From Test Specimen

1.6 Recognition Of Penetration

1.7 Evaluation Of Penetration

Section 2 Determination Of Pentachlorophenol Penetration In Timber Treated With Oil Solution

2.1 Principle

2.2 Reagents

2.3 Procedure

Section 3 Determination Of Copper Penetration In Timber Treated With Copper-Based Preservatives

3.1 Method 1

3.2 Method 2

Section 4 Determination Of Boron Penetration In Timber Treated With Boron-Based Preservatives

4.1 Method 1

4.2 Method 2

Section 5 Determination Of Fluoride Penetration In Timber Treated With Fluoride-Based Preservatives

5.1 Principle

5.2 Reagents

5.3 Procedure

Section 6 Determination Of Tin Penetration In Timber Treated With Preservatives Tin-Containing

6.1 Principle

6.2 Reagent-Bromopyrogallol Red Solution 0.2%

6.3 Procedure

6.4 Precautions

[Save](#)

[Feedback](#)

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

[Feedback](#)