

Menu

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

Print [Save](#) Email

[Resource detail](#)

[Citations](#)

AS/NZS 1605.2:2018 Methods for sampling and analysing timber preservatives and preservative-treated timber - Part 2: Determination of preservative penetration by spot test

[View on Information Provider website](#)

Abbreviation

AS/NZS 1605.2:2018

Valid from

22/03/2018

Information provider

Standards New Zealand

Author

Standards New Zealand, Standards Australia

Information type

New Zealand Standard

Format

PDF

Description

This Standard sets out the method for determining the penetration of preservative into preservative-treated wood products.

It deals with the preparation of material for testing and the methods for determining the penetration of creosote, boron, copper in copper-based preservatives, pentachlorophenol, tin, zinc and fluorine.

This Standard is intended to be read in conjunction with AS/NZS 1605.1 and the AS/NZS 1604 series, NZS 3640 or the relevant Standard to which timber is claimed to have been treated. The preservatives incorporated in the AS/NZS 1604 series are required to be accompanied by analytical

methods for their determination, which are incorporated in the AS/NZS 1605 series.

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#)

For assistance with locating previous versions, please contact the information provider.

This resource is not cited by any other resources.

AS/NZS 1605.2:2018 Methods for sampling and analysing timber preservatives and preservative-treated timber - Part 2: Determination of preservative penetration by spot test

This document is not CITED BY any other resources:

AS/NZS 1605.2:2018 Methods for sampling and analysing timber preservatives and preservative-treated timber - Part 2: Determination of preservative penetration by spot test

Description

This Standard sets out the method for determining the penetration of preservative into preservative-treated wood products.

It deals with the preparation of material for testing and the methods for determining the penetration of creosote, boron, copper in copper-based preservatives, pentachlorophenol, tin, zinc and fluorine.

This Standard is intended to be read in conjunction with AS/NZS 1605.1 and the AS/NZS 1604 series, NZS 3640 or the relevant Standard to which timber is claimed to have been treated. The preservatives incorporated in the AS/NZS 1604 series are required to be accompanied by analytical methods for their determination, which are incorporated in the AS/NZS 1605 series.

[View on Information Provider website](#)

[AS/NZS 1605.2:2018 Methods for sampling and analysing timber preservatives and preservative-treated timber - Part 2: Determination of preservative penetration by spot test](#)

Description

This Standard sets out the method for determining the penetration of preservative into preservative-treated wood products.

It deals with the preparation of material for testing and the methods for determining the penetration of creosote, boron, copper in copper-based preservatives, pentachlorophenol, tin, zinc and fluorine.

This Standard is intended to be read in conjunction with AS/NZS 1605.1 and the AS/NZS 1604 series, NZS 3640 or the relevant Standard to which timber is claimed to have been treated. The preservatives incorporated in the AS/NZS 1604 series are required to be accompanied by analytical methods for their determination, which are incorporated in the AS/NZS 1605 series.

[View on Information Provider website](#)

This resource does not cite any other resources.

AS/NZS 1605.2:2018 Methods for sampling and analysing timber preservatives and preservative-treated timber - Part 2: Determination of preservative penetration by spot test

This resource does not CITE any other resources.

Back

Close

Table of Contents

Print

[Save](#)

Email

[Feedback](#)

--	--	--

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

--	--	--

[Feedback](#)