Skip to main content Skip to primary navigation	
Menu	
 <u>Home Home</u> <u>About this portal</u> <u>Latest updates</u> 	
Print Save Email	
Resource detail Citations	

AS/NZS 1748:1997 Timber - Stress graded - Product requirements for mechanically stress-graded timber

Table of Contents

View on Information Provider website {{ linkText }}

Abbreviation AS/NZS 1748:1997 Valid from 04/11/1997

Information provider Standards New Zealand Author Standards New Zealand, Standards Australia Information type New Zealand Standard Format PDF

Cited By <u>This resource is cited by 5 documents (show Citations)</u>

Description

This Standard specifies structural property, marking and physical requirements for mechanically stress-graded timber. Physical requirements are given for strength considerations as well as for utility considerations.

Scope

This Standard specifies mechanical property requirements, marking requirements and physical requirements for mechanically stress-graded timber.

Notes:

- 1. The stress-grading machine sorts the timber on the basis of its modulus of elasticity.
- 2. Appendix A provides commentary. Appendix B provides information on the means for demonstrating compliance with this Standard.

For assistance with locating previous versions, please contact the information provider.

Notes/comments

This Standard is superseded by AS/NZS 1748:2006

For assistance with locating previous versions, please contact the information provider.

This Standard is superseded by AS/NZS 1748:2006

This resource is cited by:

AS/NZS 1748:1997 Timber - Stress graded - Product requirements for mechanically stress-graded timber

This document is CITED BY:

• B1/VM1 (First Edition, Amendment 11)

AS/NZS 1748:1997 is cited by Verification Method B1/VM1: Structure - General from 01/04/2007

• B1/VM1 (First edition, Amendment 10)

AS/NZS 1748:1997 is cited by Verification Method B1/VM1: Structure - General from 01/04/2007

• <u>AS 3566.2-2002</u>

AS/NZS 1748:1997 is cited by AS 3566.2-2002 Self-drilling screws for the building and construction industries. Part 2: Corrosion resistance requirements

• <u>NZS 3602:2003</u>

AS/NZS 1748:1997 is cited by NZS 3602:2003 Timber and wood-based products for use in building

• NZS 3622:2004

AS/NZS 1748:1997 is cited by NZS 3622:2004 Verification of timber properties

Back

AS/NZS 1748:1997 Timber - Stress graded - Product requirements for mechanically stress-graded timber

Show what documents this resource is CITED BY Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

This Standard specifies structural property, marking and physical requirements for mechanically stress-graded timber. Physical requirements are given for strength considerations as well as for utility considerations.

View on Information Provider website

AS/NZS 1748:1997 Timber - Stress graded - Product requirements for mechanically stress-graded timber

Description

This Standard specifies structural property, marking and physical requirements for mechanically stress-graded timber. Physical requirements are given for strength considerations as well as for utility considerations.

View on Information Provider website

This resource does not cite any other resources.

AS/NZS 1748:1997 Timber - Stress graded - Product requirements for

mechanically stress-graded timber

This resource does not CITE any other resources.

Back Close

Table of Contents

1 Scope

- **2** Referenced Documents
- **3 Definitions**
- **4 Moisture Content**
- **5 Structural Property Requirements**
- 6 Physical Requirements—Strength Considerations
- 7 Physical Requirements—Utility Considerations
- 8 Marking
- Appendices
- **A** Commentary

B Means For Demonstrating Compliance With This Standard

