

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

[Save](#)

[Resource detail](#)
[Citations](#)

AS/NZS 1859.2(Int):2001 Reconstituted wood-based panels - Specifications - Dry-processed fibreboard

[View on Information Provider website](#)

Abbreviation

AS/NZS 1859.2(Int):2001

Amendment

A1 - incorporated - 15/01/2003

Valid from

01/10/2001

Information provider

Standards New Zealand

Author

Standards New Zealand, Standards Australia

Information type

New Zealand Standard

Format

PDF

Cited By

[This resource is cited by 1 document \(show Citations\)](#)

Description

This Standard specifies product requirements for the purposes of quality control in manufacture and performance requirements for dry-processed fibreboards, including ultra-low-density, low-density, medium-density and high-density fibreboards.

Scope

This Interim Standard specifies the product requirements for dry-processed fibreboards, including ultra low density, low density, medium density, and high density, as classified in Clause 5.

This Interim Standard is equivalent to the industrial Standard harmonized between the wood panel industries in Japan, Australia and New Zealand, known as JANS 22.

For assistance with locating previous versions, please contact the information provider.

Notes/comments

This Standard is superseded by AS/NZS 1859.2:2004

For assistance with locating previous versions, please contact the information provider.

This Standard is superseded by AS/NZS 1859.2:2004

This resource is cited by:

AS/NZS 1859.2(Int):2001 Reconstituted wood-based panels - Specifications - Dry-processed fibreboard

This document is CITED BY:

- [NZS 3602:2003](#)

AS/NZS 1859.2(Int):2001 is cited by NZS 3602:2003 Timber and wood-based products for use in building

Back

AS/NZS 1859.2(Int):2001 Reconstituted wood-based panels - Specifications - Dry-processed fibreboard

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

This Standard specifies product requirements for the purposes of quality control in manufacture and performance requirements for dry-processed fibreboards, including ultra-low-density, low-density, medium-density and high-density fibreboards.

[View on Information Provider website](#)

[AS/NZS 1859.2\(Int\):2001 Reconstituted wood-based panels - Specifications - Dry-processed fibreboard](#)

Description

This Standard specifies product requirements for the purposes of quality control in manufacture and performance requirements for dry-processed fibreboards, including ultra-low-density, low-density, medium-density and high-density fibreboards.

[View on Information Provider website](#)

This resource does not cite any other resources.

AS/NZS 1859.2(Int):2001 Reconstituted wood-based panels - Specifications - Dry-processed fibreboard

This resource does not CITE any other resources.

Back

Close

Table of Contents

1 Scope

2 Application

3 Referenced Documents

4 Definitions

5 Classification

6 Requirements At Dispatch

7 Specific Requirements

8 Supplementary Properties

9 Verification Of Compliance

10 Marking

Appendices

A Typical Applications Of Dry-Processed Fibreboard

B Calculation Of 5-Percentile And 95-Percentile Values

[Save](#)

[Feedback](#)

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

[Feedback](#)