Ski	p to	main	content	Ski	o to	primar	y navic	ation

Menu

- Home Home
- <u>About this portal</u>
- Latest updates

Print Save Email
Resource detail
Citations

AS/NZS 1873.2:1994 Powder-actuated (PA) hand-held fastening tools - PArt 2: Design and construction

Table of Contents

View on Information Provider website {{ linkText }}

Abbreviation AS/NZS 1873.2:1994 Valid from 16/10/1994

Information provider Standards New Zealand Author Standards New Zealand, Standards Australia Information type New Zealand Standard Format PDF

Cited By <u>This resource is cited by 1 document (show Citations)</u>

Description

This Standard specifies requirements for the design, construction and performance of both directacting and indirect-acting powder-actuated (PA) hand-held tools. Appendices include methods for measuring the velocity of fasteners discharged from PA tools and for determining the ability of a PA tool to resist accidental firing when dropped. This Standard sets out design, construction, and performance requirements necessary for the safe operation of powder-actuated hand-held fastening tools.

For assistance with locating previous versions, please contact the information provider.

 Table of Contents
 View on Information Provider website
 {{ linkText }}

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

AS/NZS 1873.2:1994 Powder-actuated (PA) hand-held fastening tools - PArt 2: Design and construction

This document is CITED BY:

• NZS 3404 Parts 1 and 2:1997

AS/NZS 1873.2:1994 is cited by NZS 3404 Parts 1 and 2:1997 Steel structures standard

Back

AS/NZS 1873.2:1994 Powder-actuated (PA) hand-held fastening tools - PArt 2: Design and construction

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

This Standard specifies requirements for the design, construction and performance of both directacting and indirect-acting powder-actuated (PA) hand-held tools. Appendices include methods for measuring the velocity of fasteners discharged from PA tools and for determining the ability of a PA tool to resist accidental firing when dropped.

View on Information Provider website

AS/NZS 1873.2:1994 Powder-actuated (PA) hand-held fastening tools - PArt 2: Design and construction

Description

This Standard specifies requirements for the design, construction and performance of both directacting and indirect-acting powder-actuated (PA) hand-held tools. Appendices include methods for measuring the velocity of fasteners discharged from PA tools and for determining the ability of a PA tool to resist accidental firing when dropped.

View on Information Provider website

This resource does not cite any other resources.

AS/NZS 1873.2:1994 Powder-actuated (PA) hand-held fastening tools - PArt 2: Design and construction

This resource does not CITE any other resources.



Table of Contents

Section 1 Scope And General

- 1.1 Scope
- **1.2 Application**
- **1.3 Referenced Documents**
- **1.4 Definitions**
- **1.5 Documentation**
- **1.6 Ancillary Equipment**
- **Section 2 Design And Construction**
- 2.1 General
- 2.2 Variation Of Power Level
- 2.3 Disposal Of Expelled Gases
- 2.4 Classification Of Tools

2.5 Angle Fire Control And Guards

2.6 Attachments

Section 3 Performance Requirements

- **3.1 Devices To Prevent Accidental Firing**
- 3.2 Drop Fire Test

Section 4 Marking

- 4.1 Marking
- Appendices

A Method For Determination Of Muzzle Velocity Of Fasteners

B Drop Fire Test

Print <u>Save</u> Email		
Feedback		
		-
 <u>Contact us</u> <u>Privacy policy</u> <u>Disclaimer</u> <u>Copyright</u> 		
Feedback		