Skip to main content Skip to primary navigation Menu Menu
 <u>Home Home</u> <u>About this portal</u> <u>Latest updates</u>
Print Save Email Resource detail Citations
AS/NZS 2271:1999 Plywood and blockboard for exterior use
Table of Contents View on Information Provider website {{ linkText }}

Abbreviation AS/NZS 2271:1999 Valid from 04/04/1999

Information provider Standards New Zealand Author Standards New Zealand, Standards Australia Information type New Zealand Standard Format PDF

Cited By <u>This resource is cited by 2 documents (show Citations)</u>

Description

This Standard specifies requirements for the manufacture, grading and finish of plywood and blockboard used in exterior applications where the product is exposed to the weather, or wet or damp conditions. It also specifies veneer and core strip qualities, bond quality, joints, panel construction, dimensional tolerances, moisture content, finishing and branding. Two bond types are specified, i.e. types A and B, which are suitable for exterior applications.

Appendices provide information to be supplied with enquiries and orders, and suggestions for storage and handling.

For assistance with locating previous versions, please contact the information provider.

Notes/comments

This Standard is superseded by AS/NZS 2271:2004

 Table of Contents
 View on Information Provider website
 {{ linkText }}

For assistance with locating previous versions, please contact the information provider.

This Standard is superseded by AS/NZS 2271:2004

This resource is cited by:

AS/NZS 2271:1999 Plywood and blockboard for exterior use

This document is CITED BY:

• <u>AS/NZS 1604.3:2002</u>

AS/NZS 2271:1999 is cited by AS/NZS 1604.3:2002 Specification for preservative treatment - Plywood

• NZS 3602:2003

AS/NZS 2271:1999 is cited by NZS 3602:2003 Timber and wood-based products for use in building

Back

AS/NZS 2271:1999 Plywood and blockboard for exterior use

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

This Standard specifies requirements for the manufacture, grading and finish of plywood and blockboard used in exterior applications where the product is exposed to the weather, or wet or damp conditions. It also specifies veneer and core strip qualities, bond quality, joints, panel construction, dimensional tolerances, moisture content, finishing and branding. Two bond types are specified, i.e. types A and B, which are suitable for exterior applications.

Appendices provide information to be supplied with enquiries and orders, and suggestions for storage and handling.

View on Information Provider website

AS/NZS 2271:1999 Plywood and blockboard for exterior use

Description

This Standard specifies requirements for the manufacture, grading and finish of plywood and blockboard used in exterior applications where the product is exposed to the weather, or wet or damp conditions. It also specifies veneer and core strip qualities, bond quality, joints, panel construction, dimensional tolerances, moisture content, finishing and branding. Two bond types are specified, i.e. types A and B, which are suitable for exterior applications.

Appendices provide information to be supplied with enquiries and orders, and suggestions for storage and handling.

View on Information Provider website

This resource does not cite any other resources.

AS/NZS 2271:1999 Plywood and blockboard for exterior use

This resource does not CITE any other resources.



Close

Table of Contents

Section 1 Scope And General

- 1.1 Scope
- **1.2 Application**

- **1.3 Referenced Documents**
- **1.4 Definitions**
- 1.5 Grades Of Plywood And Blockboard For Exterior Use
- **1.6 Dimensions And Shape**
- **1.7 Moisture Content**
- 1.8 Finish
- **1.9 Joints In Sheets**
- **1.10 Immunization And Preservative Treatment**
- 1.11 Branding
- Section 2 Requirements For Veneers And Core Strips
- 2.1 General Requirements For All Face And Back Veneers
- 2.2 Quality A Veneer
- 2.3 Quality S Veneer
- 2.4 Quality B Veneer
- 2.5 Quality C Veneer
- 2.6 Quality D Veneer
- 2.7 Core Veneers
- 2.8 Core Strips
- Section 3 Manufacturing Requirements
- 3.1 Joints In Veneers
- **3.2 Joints In Plywood And Blockboard Sheets**
- 3.3 Bonding Between Plies
- 3.4 Assembly Of Plywood
- 3.5 Assembly Of Blockboard
- Appendix A Information To Be Supplied With Inquiries And Orders

Appendix B - Storage And Handling Of Plywood Or Blockboard For Exterior Use

Print <u>Save</u> Email		
Feedback		
		-
 <u>Contact us</u> <u>Privacy policy</u> <u>Disclaimer</u> <u>Copyright</u> 		
Feedback		_