

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

[Save](#)

[Resource detail](#)
[Citations](#)

AS/NZS 2293.2:2019 Emergency lighting and exit signs for buildings. Part 2: Routine service and maintenance

[View on Information Provider website](#)

Abbreviation

AS/NZS 2293.2:2019

Valid from

09/04/2019

Information provider

Standards New Zealand

Author

Standards New Zealand, Standards Australia

Information type

New Zealand Standard

Format

PDF

Description

This Standard establishes the performance criteria for the routine service and maintenance of emergency lighting and exit sign systems, such that they continue to safeguard occupants from injury until the next scheduled activity by having adequate emergency lighting and identification of exits, and provide direction to exits in accordance with the approved design.

Scope

The changes in this edition are primarily a consequence of alterations made in AS/NZS 2293.1:201X and AS/NZS 2293.3:201X. The following changes of significance have been introduced:

- a) The layout has been aligned with AS 1851, Routine service of fire protection systems and equipment. A table structure has been introduced to simplify application, and reduce duplication and complexity.
- b) Introduction of—
 - i) baseline data against which maintenance and ongoing system performance requirements are measured;
 - ii) concept of routine service, including preventative maintenance;
 - iii) procedures for intervals greater than 12 months;
 - iv) concepts of critical, non-critical defect and non-conformance along with requirements for reporting;
 - v) light source life (LSL) assessment for LED luminaires and exit signs; and
 - vi) additional information and guidance in Appendices C, D, E, F and G.
- c) Align terms with various legislative instruments.
- d) Update references and requirements to align with most recent International and Australian Standards.
- e) Photoluminescent signs were considered for inclusion within this Standard so as to maintain direct relevance to AS 2293.1 and AS 2293.3, they have been omitted. However in the absence of a standard on maintenance of such signs this standard could be used as a model or template for maintenance.

For assistance with locating previous versions, please contact the information provider.

Notes/comments

Unpublished, as the consultation period has expired.

Please note that when submitting comments on draft Joint standards, these must be submitted to Standards Australia. To do this, please use the following link— <https://hub.standards.org.au/hub/public/listOpenCommentingPublication.action>

Draft Standards are available for public comment for a specified period (usually 8 weeks). Standards proposed to be withdrawn are open for comment for 2 weeks. Drafts can be downloaded free. You can browse drafts or search for specific drafts by selecting draft status and using a keyword or number.

Closing date for comments 02/07/2018

[View on Information Provider website](#) `{{ linkText }}`

For assistance with locating previous versions, please contact the information provider.

Unpublished, as the consultation period has expired.

Please note that when submitting comments on draft Joint standards, these must be submitted to Standards Australia. To do this, please use the following link— <https://hub.standards.org.au/hub/public/listOpenCommentingPublication.action>

Draft Standards are available for public comment for a specified period (usually 8 weeks). Standards proposed to be withdrawn are open for comment for 2 weeks. Drafts can be downloaded free. You can browse drafts or search for specific drafts by selecting draft status and using a keyword or number.

Closing date for comments 02/07/2018

This resource is not cited by any other resources.

AS/NZS 2293.2:2019 Emergency lighting and exit signs for buildings. Part 2: Routine service and maintenance

This document is not CITED BY any other resources:

Back

AS/NZS 2293.2:2019 Emergency lighting and exit signs for buildings. Part 2: Routine service and maintenance

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

This Standard establishes the performance criteria for the routine service and maintenance of emergency lighting and exit sign systems, such that they continue to safeguard occupants from injury until the next scheduled activity by having adequate emergency lighting and identification of exits, and provide direction to exits in accordance with the approved design.

[View on Information Provider website](#)

[AS/NZS 2293.2:2019 Emergency lighting and exit signs for buildings. Part 2: Routine service and maintenance](#)

Description

This Standard establishes the performance criteria for the routine service and maintenance of emergency lighting and exit sign systems, such that they continue to safeguard occupants from injury until the next scheduled activity by having adequate emergency lighting and identification of exits, and provide direction to exits in accordance with the approved design.

[View on Information Provider website](#)

This resource does not cite any other resources.

AS/NZS 2293.2:2019 Emergency lighting and exit signs for buildings. Part 2: Routine service and maintenance

This resource does not CITE any other resources.

Back

Close

Table of Contents

Print [Save](#) Email

[Feedback](#)

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

[Feedback](#)