

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

[Resource detail](#)
[Citations](#)

AS/NZS 2728:1997 Prefinished/prepainted sheet metal products for interior/exterior building applications - Performance requirements

[View on Information Provider website](#)

Abbreviation

AS/NZS 2728:1997

Valid from

04/12/1997

Information provider

Standards New Zealand

Author

Standards New Zealand, Standards Australia

Information type

New Zealand Standard

Format

PDF

Cited By

[This resource is cited by 2 documents \(show Citations\)](#)

Description

This Standard specifies performance requirements for prepainted metal sheet and strip and organic film/metal laminate products in sheet and strip form that are coated on one or both sides, and that are intended for fabrication into products for use in the construction or finishing of buildings.

Six product types and three surface finishes are specified.

Appendices contain test methods and include atmospheric classifications and data on Australian and New Zealand corrosion test sites.

Scope

The Standard classifies prefinished/prepainted metal products into six types according to their performance, in respect to durability and aesthetics, in environments of varying severity.

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#)

This resource is cited by:

AS/NZS 2728:1997 Prefinished/prepainted sheet metal products for interior/exterior building applications - Performance requirements

This document is CITED BY:

- [E2/AS1 \(Third Edition, Amendment 4\)](#)

AS/NZS 2728:1997 is cited by Acceptable Solution E2/AS1: External Moisture from 28/02/1998

- [AS/NZS 4740:2000](#)

AS/NZS 2728:1997 is cited by AS/NZS 4740:2000 (R2016) Natural ventilaters - classification and performance

Back

AS/NZS 2728:1997 Prefinished/prepainted sheet metal products for interior/exterior building applications - Performance requirements

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

This Standard specifies performance requirements for prepainted metal sheet and strip and organic film/metal laminate products in sheet and strip form that are coated on one or both sides, and that are intended for fabrication into products for use in the construction or finishing of buildings.

Six product types and three surface finishes are specified.

Appendices contain test methods and include atmospheric classifications and data on Australian and New Zealand corrosion test sites.

[View on Information Provider website](#)

[AS/NZS 2728:1997 Prefinished/prepainted sheet metal products for interior/exterior building applications - Performance requirements](#)

Description

This Standard specifies performance requirements for prepainted metal sheet and strip and organic film/metal laminate products in sheet and strip form that are coated on one or both sides, and that are intended for fabrication into products for use in the construction or finishing of buildings.

Six product types and three surface finishes are specified.

Appendices contain test methods and include atmospheric classifications and data on Australian and New Zealand corrosion test sites.

[View on Information Provider website](#)

This resource does not cite any other resources.

AS/NZS 2728:1997 Prefinished/prepainted sheet metal products for interior/exterior building applications - Performance requirements

This resource does not CITE any other resources.

Back

Section 1 Scope And General

1.1 Scope 4

1.2 Referenced Documents

1.3 Definitions

1.4 Product Types

1.5 Product Finishes

Section 2 Performance Requirements For Prefinished Metal Products

2.1 Scope

2.2 Appearance.

2.3 Specular Gloss (Product Specification)

2.4 Dry Film Thickness

2.5 Reverse Impact Resistance Of Prepainted Products

2.6 Adhesion

2.7 Scratch Resistance

2.8 Durability Of The Organic Film

2.9 Humidity Resistance

2.10 Salt Spray Resistance

2.11 Pencil Hardness

Appendices

A Purchasing Guidelines

B Atmospheric Environments

C Selection And Preparation Of Test Panels

D Advice On Surface Condition Of Metallic Substrates For Optimum performance Of Organic Coating

E Reverse Impact Test

F T-Bend Adhesion test

G Ball Adhesion Test For Organic Film/Metal Laminate

H Procedures For Testing Durability And Salt Spray Resistance

I New Zealand And Australian Corrosion Test Sites

J Advice On Weathering Performance Of Fabricated Prepainted And Organic Film/Metal Laminate Products

K Storage and Handling Of Products

[Save](#)

[Feedback](#)

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

[Feedback](#)