

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

[Save](#)

[Resource detail](#)
[Citations](#)

AS/NZS 2728:2007 Prefinished/prepainted sheet metal products for interior/exterior building applications - Performance requirements

[View on Information Provider website](#)

Abbreviation

AS/NZS 2728:2007

Valid from

19/02/2007

Replaces

[AS/NZS 2728:1997](#)

Information provider

Standards New Zealand

Author

Standards New Zealand, Standards Australia

Information type

New Zealand Standard

Format

PDF

Cited By

[This resource is cited by 4 documents \(show Citations\)](#)

Cites

[This resource cites 27 documents \(show Citations\)](#)

Description

This Standard specifies performance requirements for prepainted and organic film/metal laminate products in sheet and strip form that are coated on one or both sides, and that are intended for fabrication into products for use in the construction or finishing of buildings.

Scope

The Standard classifies prefinished/prepainted metal products into six types according to their performance, in respect to durability and aesthetics, in environments of varying severity.

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#)

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

AS/NZS 2728:2007 Prefinished/prepainted sheet metal products for interior/exterior building applications - Performance requirements

This document is CITED BY:

- [E2/AS1 \(Third Edition, Amendment 5\)](#)

AS/NZS 2728:2007 is cited by Acceptable Solution E2/AS1: External Moisture from 01/08/2011

- [E2/AS1 \(Third Edition, Amendment 5, Errata 2\)](#)

AS/NZS 2728:2007 is cited by Acceptable Solution E2/AS1: External Moisture from 01/08/2011

- [CCANZ CP 01:2014](#)

AS/NZS 2728:2007 is cited by Code of Practice for Weathertight Concrete and Concrete Masonry Construction

- [SH/AS1 \(First edition, unamended\)](#)

AS/NZS 2728:2007 is cited by Simple House - Acceptable Solution Revoked

Back

AS/NZS 2728:2007 Prefinished/prepainted sheet metal products for interior/exterior building applications - Performance requirements

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

This Standard specifies performance requirements for prepainted and organic film/metal laminate products in sheet and strip form that are coated on one or both sides, and that are intended for fabrication into products for use in the construction or finishing of buildings.

[View on Information Provider website](#)

[AS/NZS 2728:2007 Prefinished/prepainted sheet metal products for interior/exterior building applications - Performance requirements](#)

Description

This Standard specifies performance requirements for prepainted and organic film/metal laminate products in sheet and strip form that are coated on one or both sides, and that are intended for fabrication into products for use in the construction or finishing of buildings.

[View on Information Provider website](#)

This resource cites:

AS/NZS 2728:2007 Prefinished/prepainted sheet metal products for interior/exterior building applications - Performance requirements

This document CITES:

New Zealand Standards

- [AS/NZS 1580.108.1:1994](#)

AS/NZS 2728:2007 cites AS/NZS 1580.108.1:1994 (R2013) Methods of test for paints and related materials -

Determination of dry film thickness on metallic substrates - Non destructive methods

- [AS/NZS 1580.457.1:1996](#)

AS/NZS 2728:2007 cites AS/NZS 1580.457.1:1996 (R2013) Methods of test for paints and related materials - Resistance to natural weathering

- [AS/NZS 1580.481.1.10:1998 \(Reconfirmed in 2013\)](#)

AS/NZS 2728:2007 cites AS/NZS 1580.481.1.10:1998 (R2013) Methods of test for paints and related materials - Exposed to weathering - Degree of flaking and peeling

- [AS/NZS 1580.481.1.11:1998 \(Reconfirmed in 2013\)](#)

AS/NZS 2728:2007 cites AS/NZS 1580.481.1.11:1998 (R2013) Methods of test for paints and related materials - Exposed to weathering - Degree of chalking

- [AS/NZS 1580.481.1.5:1999 \(Reconfirmed in 2013\)](#)

AS/NZS 2728:2007 cites AS/NZS 1580.481.1.5:1999 (R2013) Methods of test for paints and related materials - Exposed to weathering - Change in gloss

- [AS/NZS 1580.481.1.7:1998 \(Reconfirmed in 2013\)](#)

AS/NZS 2728:2007 cites AS/NZS 1580.481.1.7:1998 (R2013) Methods of test for paints and related materials - Exposed to weathering - Degree of checking

- [AS/NZS 1580.481.1.8:1998 \(Reconfirmed in 2013\)](#)

AS/NZS 2728:2007 cites AS/NZS 1580.481.1.8:1998 (R2013) Methods of test for paints and related materials - Exposed to weathering - Degree of cracking

- [AS/NZS 1580.481.1.9:1998 \(Reconfirmed in 2013\)](#)

AS/NZS 2728:2007 cites AS/NZS 1580.481.1.9:1998 (R2013) Methods of test for paints and related materials - Exposed to weathering - Degree of blistering

- [AS/NZS 1580.601.1:1995](#)

AS/NZS 2728:2007 cites AS/NZS 1580.601.1:1995 (R2013) Methods of test for paints and related materials - Colour - Visual comparison

- [AS/NZS 1580.601.4:1994](#)

AS/NZS 2728:2007 cites AS/NZS 1580.601.4:1994 (R2013) Methods of test for paints and related materials - Colour - Calculation of colour differences

- [AS/NZS 1580.602.2:1995 \(R2013\)](#)

AS/NZS 2728:2007 cites AS/NZS 1580.602.2:1995 (R2013) Paints and related materials - Methods of test - - Measurement of specular gloss of non-metallic paint films at 20 degrees, 60 degrees and 85 degrees

- [AS/NZS 2312:2002](#)

AS/NZS 2728:2007 cites AS/NZS 2312:2002 Guide to the protection of structural steel against atmospheric corrosion by the use of protective coatings

Australian Standards

- [AS 1199.1-2003 \(R2016\)](#)

AS/NZS 2728:2007 cites AS 1199.1-2003 (R2016) Sampling procedures for inspection by attributes - Part 1: Sampling schemes indexed by acceptance quality limit (AQL) for lot-by-lot inspection

- [AS 1397-2001](#)

AS/NZS 2728:2007 cites AS 1397-2001 Steel sheet and strip - Hot-dipped zinc-coated or aluminium/zinc-coated

- [AS 1580.408.4-2004](#)

AS/NZS 2728:2007 cites AS 1580.408.4-2004 Paints and related materials - Methods of test - Method 408.4: Adhesion (crosscut)

- [AS 1580.481.3-2002 \(R2013\)](#)

AS/NZS 2728:2007 cites AS 1580.481.3-2002 (R2013) Paints and related materials - Methods of test - Coatings - Exposed to weathering - Degree of corrosion of coated metal substrates

- [AS 1734-1986](#)

AS/NZS 2728:2007 cites AS 1734-1986 Aluminium and aluminium alloys - Flat sheet, coiled sheet and plate

- [AS 2313.1.1-2005 \(R2016\)](#)

AS/NZS 2728:2007 cites AS 2313.1.1-2005 (R2016) Methods of test for single sided and double sided pressure-sensitive adhesive tape - Adhesion - Peel adhesion

- [AS 2331.1.7-2006](#)

AS/NZS 2728:2007 cites AS 2331.1.7-2006 (R2017) Methods of test for metallic and related coatings - Local thickness tests - Measurement of dry film thickness of thin coating systems particularly by coil coated products by destructive means using a boring device

- [AS 2331.3.1-2001](#)

AS/NZS 2728:2007 cites AS 2331.3.1-2001 (R2017) Methods of test for metallic and related coatings - Corrosion and related property tests - Neutral salt spray (NSS) test

- [AS 2331.3.13-2006](#)

AS/NZS 2728:2007 cites AS 2331.3.13-2006 (R2017) Methods of test for metallic and related coatings - Corrosion and related property tests - Wet (salt fog)/dry/humidity

- [AS 2331.3.2-2001](#)

AS/NZS 2728:2007 cites AS 2331.3.2-2001 (R2017) Methods of test for metallic and related coatings - Corrosion and related property tests - Acetic acid salt spray test (ASS test)

- [AS 2331.4.7-2006](#)

AS/NZS 2728:2007 cites AS 2331.4.7-2006 (R2017) Methods of test for metallic and related coatings - Method 4.7: Physical tests - Resistance to scratching

- [AS 2848.1-1998](#)

AS/NZS 2728:2007 cites AS 2848.1-1998 (R2018) Aluminium and aluminium alloys - Compositions and designations - Part 1: Wrought products

Other

- [ASTM G154 - 06](#)

AS/NZS 2728:2007 cites ASTM G154 - 06 Standard Practice for Operating Fluorescent Light Apparatus for UV Exposure of Nonmetallic Materials

- [ISO 9001:2000](#)

AS/NZS 2728:2007 cites ISO 9001:2000 Quality management systems - Requirements

- [ISO 9223:1992](#)

AS/NZS 2728:2007 cites ISO 9223:1992 Corrosion of metals and alloys; corrosivity of atmospheres; classification

Section 1 Scope And General

1.1 Scope

1.2 Referenced Documents

1.3 Definitions

1.4 Safety

1.5 Product Types

1.6 Product Finishes

1.7 Surface Protection

Section 2 Performance Requirements For Prefinished Metal Products

2.1 Scope Of Section

2.2 Appearance

2.3 Specular Gloss (Product Specification)

2.4 Dry Film Thickness

2.5 Reverse Impact Resistance Of Prepainted Products

2.6 Adhesion

2.7 Scratch Resistance

2.8 Durability Of The Organic Film

2.9 Humidity Resistance

2.10 Corrosion Resistance (Applicable To Product Types 3, 4, 5 And 6)

Appendices

Appendix A - Purchasing Guidelines

Appendix B - Means Of Demonstrating Compliance With This Standard

Appendix C - Atmospheric Environments

Appendix D - Selection And Preparation Of Test Panels

Appendix E - Reverse Impact Test

Appendix F - T-Bend Adhesion Test

Appendix G - Ball Adhesion Test For Organic Film/Metal Laminate

Appendix H - Procedures For Testing Durability And Corrosion Resistance

Appendix I - Accelerated Corrosion Tests

Appendix J - New Zealand And Australian Corrosion Test Sites

Appendix K - Advice On Weathering Performance Of Fabricated Prepainted And Organic Film/Metal Laminate Products

Appendix L - Storage And Handling Of Products

Appendix M - Safety Guidelines For Painted Products

Appendix N - Procedures For Testing Durability And Corrosion Resistance In Naturally Unwashed Areas

Appendix O - Four Year Instrumental Colour Durability Expectations For Organic Coating Systems Exposed At Sunshine Sites

Print [Save](#) Email

[Feedback](#)

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

[Feedback](#)