Skip to main content Skip to primary navigation Menu Menu	
 Home About this portal Latest updates	
Print Save Email Resource detail	-

AS/NZS 3000:2000 Electrical installations (known as the Australian/New Zealand Wiring Rules)

Table of Contents

<u>View on Information Provider website</u> {{ linkText }}

Abbreviation

Citations

AS/NZS 3000:2000

Amendment

AS/NZS 3000:2000 A1 - incorporated. Published 25/09/2001.

Valid from

14/09/1999

Information provider

Standards New Zealand

Author

Standards New Zealand, Standards Australia

Information type

New Zealand Standard

Format

PDF

Cited By

This resource is cited by 8 documents (show Citations)

Description

This Standard provides requirements for the selection and installation of electrical equipment, and design and testing of electrical installations, especially with regard to the essential requirements for safety of persons and livestock from physical injury, fire or electric shock.

Many of the prescriptive work practices contained in previous editions of AS 3000 have been removed and this Standard incorporates internationally accepted practices.

Scope

This Standard sets out the minimum requirements for the design, construction and testing of electrical installations, including the selection and installation of electrical equipment forming part of such electrical installations.

The requirements are intended to protect persons, livestock and property from electric shock, fire and physical injury hazards that may arise from an electrical installation that is used with reasonable care and with due regard to the intended purpose of the electrical installation.

For assistance with locating previous versions, please contact the information provider.

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

AS/NZS 3000:2000 Electrical installations (known as the Australian/New **Zealand Wiring Rules)**

This document is CITED BY:

AS/NZS 1680.1:2006

AS/NZS 3000:2000 is cited by AS/NZS 1680.1:2006 Interior and workplace lighting - Part 1: General principles and recommendations

AS/NZS 2918: 2001

AS/NZS 3000:2000 is cited by AS/NZS 2918: 2001 Domestic solid fuel burning appliances - Installation

AS/NZS 3500.2:2003

AS/NZS 3000:2000 is cited by AS/NZS 3500.2:2003 Plumbing and drainage - Sanitary plumbing and drainage

AS/NZS 5000.1:2005

AS/NZS 3000:2000 is cited by AS/NZS 5000.1:2005 Electric cables - Polymeric insulated - For working voltages up to and including 0.6/1 (1.2) kV

• AS/NZS 5000.2:2006

AS/NZS 3000:2000 is cited by AS/NZS 5000.2:2006 Electric cables - Polymeric insulated - For working voltages up to and including 450/750 V

AS/NZS 60598.2.2:2001

AS/NZS 3000:2000 is cited by AS/NZS 60598.2.2:2001 Luminaires - Particular requirements - Recessed luminaires

NZECP 54:2001

AS/NZS 3000:2000 is cited by NZECP 54:2001 Installation of recessed luminaires and auxiliary equipment

NZS 5261: 2003

AS/NZS 3000:2000 is cited by NZS 5261: 2003 Gas installation

Back

AS/NZS 3000:2000 Electrical installations (known as the Australian/New **Zealand Wiring Rules)**

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

This Standard provides requirements for the selection and installation of electrical equipment, and design and testing of electrical installations, especially with regard to the essential requirements for safety of persons and livestock from physical injury, fire or electric shock.

Many of the prescriptive work practices contained in previous editions of AS 3000 have been removed and this Standard incorporates internationally accepted practices.

AS/NZS 3000:2000 Electrical installations (known as the Australian/New Zealand Wiring Rules)

Description

This Standard provides requirements for the selection and installation of electrical equipment, and design and testing of electrical installations, especially with regard to the essential requirements for safety of persons and livestock from physical injury, fire or electric shock.

Many of the prescriptive work practices contained in previous editions of AS 3000 have been removed and this Standard incorporates internationally accepted practices.

View on Information Provider website

This resource does not cite any other resources.

AS/NZS 3000:2000 Electrical installations (known as the Australian/New Zealand Wiring Rules)

This resource does not CITE any other resources.



Table of Contents

- 1 Scope And Fundamental Safety Principles
- 1.1 Scope
- 1.2 Application
- 1.3 Referenced Documents
- 1.4 Definitions
- 1.5 Alterations, Additions And Repairs
- 1.6 Alternative Arrangements
- 1.7 Protection For Safety
- 1.8 Design Of An Electrical Installation
- 1.9 Selection Of Electrical Equipment
- 1.10 Installation Of Electrical Equipment
- 1.11 Inspection And Testing
- 2 Selection And Installation Of Switchgear And Control Gear
- 2.1 General

- 2.2 Common Requirements
- 2.3 Devices For Protection Against Indirect Contact
- 2.4 Devices For Protection Against Overcurrent
- 2.5 Protection Against Earth Leakage Current
- 2.6 Protection Against Overvoltage
- 2.7 Protection Against Under voltage
- 2.8 Devices For Isolation And Switching
- 2.9 Switchboards
- 3 Selection And Installation Of Wiring Systems
- 3.1 General
- 3.2 Types Of Wiring Systems
- 3.3 External Influences
- 3.4 Current-Carrying Capacity
- 3.5 Conductor Size
- 3.6 Voltage Drop
- 3.7 Electrical Connections
- 3.8 Identifications
- 3.9 Installation Requirements
- 3.10 Enclosure Of Cables
- 3.11 Underground Wiring Systems
- 3.12 Aerial Wiring Systems
- 3.13 Cables Supported By A Catenary
- 3.14 Emergency Systems
- 3.15 Busbar Trunking Systems (Busways), Including Rising Mains Systems
- 3.16 Earth Sheath Return (ESR) System

4 Installation Of Appliances and Accessories	
4.1 General	

- 4.2 Electrical Equipment Requiring Protection Against Injury From Mechanical Movement
- 4.3 Electrical Equipment Requiring Protection Against Thermal Effects
- 4.4 Electrical Equipment Requiring Protection Against Explosion
- 4.5 Transformers
- 4.6 Capacitors
- 4.7 Batteries
- 4.8 Alternative Supply Systems
- 4.9 Socket-Outlets
- 4.10 Other Electrical Equipment
- 4.11 Connection Of Electrical Equipment
- 5 Earthing Arrangements And earthing Conductors
- 5.1 General
- **5.2 Earthing Arrangements**
- 5.3 Multiple Earthed Neutral (Men) System
- 5.4 Earthing Requirements
- 5.5 Earthing Conductors
- 5.6 Earthing Systems Parts
- 5.7 Earthing Of Electrical Equipment
- 5.8 Equipotential Bonding
- 5.9 Protection By Electrical Separation
- **5.10 Other Earthing Arrangements**
- **6 Testing And Verification**
- 6.1 General

6.2 Visual Inspection
6.3 Testing

- 7 Requirements For Special Electrical Installations Or Locations
- 7.1 Locations Containing Baths, Showers Or Other Fixed Water Containers
- 7.2 Swimming Pools, Paddling Pools And Spa Pools Or Tubs
- 7.3 Locations Containing Sauna Heaters
- 7.4 Refrigeration Rooms
- 7.5 Locations Where General Housing Down Operations Are Carried Out
- 7.6 Fountains And Water Features
- 7.7 Extra-Low Voltage Electrical Installations
- 7.8 High Voltage Electrical Installations
- 7.9 Hazardous Areas
- 7.10 Emergency Systems
- 7.11 Specific Electrical Installation Standards

Appendix

- A List Of Referenced Documents
- **B Circuit Arrangements**
- C Calculation Of Maximum Demand
- **D** Aerial Lines Data

Table

- 3.1 Acceptable Types Of Cable Wiring Systems
- 3.2 Examples Of Methods Of Installation Of Wiring Systems
- 3.3 Limiting Temperatures For Insulated Cables
- 3.4 Nominal Minimum Cross-Sectional Area Of Conductors
- 3.5 Colours Of Cable Cores

- 3.6 Underground Wiring System
- 3.7 Underground Wiring System Categories
- 3.8 Minimum Aerial Conductor Clearances
- 3.9 Aerial Conductor Maximum Spans
- 3.10 Spacing Between Aerial Conductors At Supports
- 4.1 Temperature Limits In Normal Service For Parts Of Electrical Equipment Within Arm's Reach
- 5.1 Minimum Copper Earthing Conductor Size
- 7.1 Guidance On The Selection And Installation Of Electrical Equipment
- 7.8.1 Typical Values Of K For Calculation Of Copper Earthing Conductors
- 7.8.2 Substation Earthing Neutral Connecting Conductors
- B4.1 Maximum Values Of Fault Loop Impedance (ZS) At 230 V A.C.
- B5.1 Maximum Circuit Lengths, In Metres, For Different Sizes Of Conductors And Protective Devices Using Approximate Mean Tripping Currents (IA)*
- C1 Maximum Demand -Single And Multiple Domestic Electrical Installations
- C2 Maximum Demand Non-Domestic Electrical Installations
- **D1 Stringing Data For Arial Lines**
- D2 Minimum Size Of Intermediate, Terminal Or Angle Posts For Aerial conductors
- D3 Minimum Size Of Intermediate, Terminal Or Angle Posts For Aerial conductors
- D4 Minimum Size Of Intermediate, Terminal Or Angle Posts For Aerial conductors
- D5 Minimum Size Of Intermediate, Terminal Or Angle Posts For Aerial conductors
- D6 Minimum Size Of Intermediate, Terminal Or Angle Posts For Aerial conductors
- D7 Minimum Size Of Intermediate, Terminal Or Angle Posts For Aerial

conductors

D8 Minimum Size Of Intermediate, Terminal Or Angle Posts For Aerial conductors

D9 Minimum Size Of Intermediate, Terminal Or Angle Posts For Aerial conductors

Figure

- 1.1 Zone Of Arm's Reach
- 1.2 Direct Contact
- 1.3 Indirect Contact
- 3.1 Example Of Protection Requirements For Wiring Systems
- 5.1 Multiple Earthed Neutral (Men) System Of Earthing Men Link At Customer's Main Switchboard
- 5.2 Multiple Earthed Neutral (Men) System Of Earthing Men Link Remote From Customer's Main Switchboard
- **5.3 Typical Men Earthing Systems**
- 5.4 Diagrammatic Examples Of Arrangement Of Protective Earthing Conductors (Clauses 5.6.7.2 And 5.6.7.2.2)
- 6.1 Test Sequence
- 7.1a (In Part) Baths And Showers, Zone Dimensions (Plan)
- 7.1b Baths And Showers, Zone Dimensions (Elevation)
- 7.1c Fixed Water Containers Other Than Baths And Showers, Zone Dimensions
- 7.2a Zone Dimensions Of Swimming Pools In Ground
- 7.2b Zone Dimensions Of Swimming Pools Above Ground
- 7.2c Zone Dimensions Of Spa Pools And Tubs With Water Capacity Not Exceeding 5000 L
- 7.3 Zones Of Temperature
- 7.6a Example Of Determination Of The Zones Of A Fountain (Plan)
- 7.6b Example Of Determination Of The Zones Of A Fountain (Elevation)

- 7.8.1 Guide To The Application Of The Combined Earthing System
- 7.10 Guidance On Supply To Fire And Smoke Control Equipment, Evacuation Equipment And Lift Main Switches
- **B3.1 Typical Overcurrent Protection Of Conductors**
- **B3.2 Coordination Of The Characteristics Of Conductors And Protective Devices**
- B4.1 Men System (Simplified) Showing Fault Current (I) Path
- **B4.2 Typical Time/Current Curves For Circuit breakers And Fuses**

Print Save Email		
Feedback		
		_
Contact usPrivacy policyDisclaimerCopyright		
	_	_
Feedback		