Skip to main content Skip to primary navigation	
Menu	
Home Home	
About this portal	
· · · · · · · · · · · · · · · · · · ·	
Latest updates	
Print Save Email	
Resource detail	

AS/NZS 3879:1995 Solvent cements and priming fluids for use with unplasticized PVC (uPVC) pipes and fittings

Table of Contents

<u>View on Information Provider website</u> {{ linkText }}

Abbreviation

AS/NZS 3879:1995

Valid from

Citations

04/06/1995

Information provider

Standards New Zealand

Author

Standards New Zealand, Standards Australia

Information type

New Zealand Standard

Format

PDF

Cited By

This resource is cited by 4 documents (show Citations)

Description

This Standard specifies the requirements for solvent cements and priming fluids used in the jointing of unplasticized polyvinyl chloride (uPVC) pipes and fittings for both pressure and non-pressure applications.

For assistance with locating previous versions, please contact the information provider.

Table of Contents View on Information Provider website {{ linkText }}

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

AS/NZS 3879:1995 Solvent cements and priming fluids for use with unplasticized PVC (uPVC) pipes and fittings

This document is CITED BY:

AS/NZS 1260:1999

AS/NZS 3879:1995 is cited by AS/NZS 1260:1999 PVC pipes and fittings for drain, waste and vent applications

AS/NZS 2032:2006

AS/NZS 3879:1995 is cited by AS/NZS 2032:2006 Installation of PVC pipe systems

• AS/NZS 3500.1:2003

AS/NZS 3879:1995 is cited by AS/NZS 3500.1:2003 Plumbing and drainage - Water services

AS/NZS 3500.2:2003

AS/NZS 3879:1995 is cited by AS/NZS 3500.2:2003 Plumbing and drainage - Sanitary plumbing and drainage



AS/NZS 3879:1995 Solvent cements and priming fluids for use with unplasticized PVC (uPVC) pipes and fittings

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

This Standard specifies the requirements for solvent cements and priming fluids used in the jointing of unplasticized polyvinyl chloride (uPVC) pipes and fittings for both pressure and non-pressure applications.

View on Information Provider website

AS/NZS 3879:1995 Solvent cements and priming fluids for use with unplasticized PVC (uPVC) pipes and fittings

Description

This Standard specifies the requirements for solvent cements and priming fluids used in the jointing of unplasticized polyvinyl chloride (uPVC) pipes and fittings for both pressure and non-pressure applications.

View on Information Provider website

This resource does not cite any other resources.

AS/NZS 3879:1995 Solvent cements and priming fluids for use with unplasticized PVC (uPVC) pipes and fittings

This resource does not CITE any other resources.



Table of Contents

- 1 Scope
- 2 Application
- 3 Referenced Documents
- 4 Definitions

6 General Requirements 7 Test Requirements **8 Priming Fluids** 9 Packaging 10 Marking 11 Australian Water Utility Requirements **Appendices** A Means For Demonstrating Compliance With This **Standard B Shear Strength Test C Long-Term pressure Test D** Joint Sealing test Methods **E Spreadability Test** Print Save Email **Feedback** • Contact us Privacy policy • <u>Disclaimer</u> Copyright **Feedback**

5 Classification