Skip to main content Skip to primary navigation Menu Menu
 <u>Home Home</u> <u>About this portal</u> <u>Latest updates</u>
Print Save Email Resource detail Citations
AS/NZS 4396:1999 (R2016) Connectors - Insulation piercing - For 0.6/1 kV aerial bundled cables
Table of Contents View on Information Provider website { { linkText } }

Abbreviation AS/NZS 4396:1999 Valid from 04/02/1999

Information provider Standards New Zealand Author Standards New Zealand, Standards Australia Information type New Zealand Standard Format PDF

Cited By <u>This resource is cited by 1 document (show Citations)</u>

Description

This Standard specifies the functional and test requirements of insulation piercing connectors (IPCs) used to make electrical connections between 0.6/1 kV aerial bundled cables and insulated branch cables.

For assistance with locating previous versions, please contact the information provider.

Notes/comments

Standard reconfirmed in New Zealand on 18 May 2016

 Table of Contents
 View on Information Provider website
 {{ linkText }}

For assistance with locating previous versions, please contact the information provider.

Standard reconfirmed in New Zealand on 18 May 2016

This resource is cited by:

AS/NZS 4396:1999 (R2016) Connectors - Insulation piercing - For 0.6/1 kV aerial bundled cables

This document is CITED BY:

• <u>AS/NZS 3000:2007</u>

AS/NZS 4396:1999 is cited by AS/NZS 3000:2007 Electrical installations (known as the Australian/New Zealand Wiring Rules)

Back

AS/NZS 4396:1999 (R2016) Connectors - Insulation piercing - For 0.6/1 kV aerial bundled cables

Show what documents this resource is CITED BY Show what documents this resource CITES

Description

This Standard specifies the functional and test requirements of insulation piercing connectors (IPCs) used to make electrical connections between 0.6/1 kV aerial bundled cables and insulated branch cables.

View on Information Provider website

AS/NZS 4396:1999 (R2016) Connectors - Insulation piercing - For 0.6/1 kV aerial bundled cables

Description

This Standard specifies the functional and test requirements of insulation piercing connectors (IPCs) used to make electrical connections between 0.6/1 kV aerial bundled cables and insulated branch cables.

View on Information Provider website

This resource does not cite any other resources.

AS/NZS 4396:1999 (R2016) Connectors - Insulation piercing - For 0.6/1 kV aerial bundled cables

This resource does not CITE any other resources.

Back Close

Table of Contents

Section 1 Scope And General


- 1.1 Scope
- **1.2 Referenced Documents**
- **1.3 Definitions**

Section 2 Functional Requirements

- 2.1 Method Of Making Connection
- 2.2 Access To Live Parts
- 2.3 Removability
- 2.4 Cable Types
- 2.5 Cable Tension
- 2.6 Cable Entry
- 2.7 Orientation
- 2.8 Alignment
- 2.9 Contact Plate
- 2.10 Sealing Of Core Ends
- 2.11 Waterproofing Compound
- 2.12 lpc Profile
- 2.13 Electrical Service Conditions
- 2.14 Resistance To Weathering
- 2.15 Fasteners
- **Section 3 Performance Requirements**
- 3.1 General
- **3.2 Electrical Heat Cycling**
- 3.3 Water Penetration
- 3.4 Mechanical Damage To Conductors
- 3.5 Branch Core Mechanical Pull-Out
- 3.6 Low Temperature Assembly
- 3.7 Resistance To Weathering
- 3.8 Resistance To Overtorque
- 3.9 Attachment Of Shearheads

Section 4 Test Requirements

- 4.1 Test Components
- 4.2 Temperature
- 4.3 Fastener Tightening Torque
- 4.4 Test Assemblies
- 4.5 Schedule Of Tests
- **Section 5 Marking**
- 5.1 Marking Of Ipcs
- 5.2 Marking Of Packaging
- Appendices
- **Appendix A Purchasing Guidelines**
- Appendix B Shearhead Fracture Torque Test
- Appendix C Electrical Heat Cycle Test
- **Appendix D Water Penetration Test**
- Appendix E Mechanical Damage To Conductors Test
- Appendix F Branch Core Mechanical Pull-Out Test
- Appendix G Low Temperature Assembly Test
- **Appendix H Resistance To Weathering Test**
- Appendix I Resistance To Overtorque Test
- Appendix J Adhesion Of Shearhead Test



Feedback