

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

[Save](#)

[Resource detail](#)
[Citations](#)

AS/NZS 4586:2004 Slip resistance classification of new pedestrian surface materials

[View on Information Provider website](#)

Abbreviation

AS/NZS 4586:2004

Valid from

25/10/2004

Information provider

Standards New Zealand

Author

Standards New Zealand, Standards Australia

Information type

New Zealand Standard

Format

PDF

Cited By

[This resource is cited by 2 documents \(show Citations\)](#)

Cites

[This resource cites 4 documents \(show Citations\)](#)

Description

This Standard provides users and specifiers of pedestrian surface materials (architects, engineers, ergonomists, facility managers, manufacturers and the like) with means for classifying such surfaces according to their pedestrian slip resistance for use in the selection of surfaces. Cited in the Ministry's Simple House Acceptable Solution.

Scope

This Standard provides means of classifying pedestrian surface materials according to their frictional characteristics when determined in accordance with the test methods set out in Appendices A, B, C and D. These test methods enable characteristics of surface materials to be determined in either wet or dry conditions. This Standard does not cover carpet.

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#)

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

AS/NZS 4586:2004 Slip resistance classification of new pedestrian surface materials

This document is CITED BY:

- [SH/AS1 \(First edition, unamended\)](#)

AS/NZS 4586:2004 is cited by SH/AS1 Simple House Acceptable Solution

- [NZS 3116:2002](#)

AS/NZS 4586:2004 is cited by NZS 3116:2002 Concrete segmental and flagstone paving

Back

AS/NZS 4586:2004 Slip resistance classification of new pedestrian surface materials

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

This Standard provides users and specifiers of pedestrian surface materials (architects, engineers, ergonomists, facility managers, manufacturers and the like) with means for classifying such surfaces according to their pedestrian slip resistance for use in the selection of surfaces. Cited in the Ministry's Simple House Acceptable Solution.

[View on Information Provider website](#)

[AS/NZS 4586:2004 Slip resistance classification of new pedestrian surface materials](#)

Description

This Standard provides users and specifiers of pedestrian surface materials (architects, engineers, ergonomists, facility managers, manufacturers and the like) with means for classifying such surfaces according to their pedestrian slip resistance for use in the selection of surfaces. Cited in the Ministry's Simple House Acceptable Solution.

[View on Information Provider website](#)

This resource cites:

AS/NZS 4586:2004 Slip resistance classification of new pedestrian surface materials

This document CITES:

New Zealand Standards

- [AS/NZS 4663:2004](#)

AS/NZS 4586:2004 cites AS/NZS 4663:2004 Slip resistance measurement of existing pedestrian surfaces

- [NZS 4121:2001](#)

AS/NZS 4586:2004 cites NZS 4121:2001 Design for access and mobility - Buildings and associated facilities

Australian Standards

- [AS 3942-1993](#)

Other

- [BS 7976-2:2002](#)

AS/NZS 4586:2004 cites BS 7976-2:2002 Pendulum testers - Method of operation

Back

Close

Table of Contents

1 Scope

2 Application

3 Referenced Documents

4 Definitions

4.1 Coefficient Of Friction (Cof)

4.2 Displacement Space

4.3 Dynamic Coefficient Of Friction

4.4 Friction

4.5 Industrial Work Area

4.6 Slip Resistance

4.7 Slip Resistive

4.8 Wet/Barefoot Area

5 Classification Of Slip Resistance

5.1 Slip Resistance

5.2 Compliance

5.3 Means Of Demonstrating Compliance

Appendices

Appendix A - Wet Pendulum Test Method

Appendix B - Dry Floor Friction Test Method

Appendix C - Wet/Barefoot Ramp Test Method

Appendix D - Oil-Wet Ramp Test Method

Appendix E - Displacement Volume Test Method

[Save](#)

[Feedback](#)

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

[Feedback](#)