

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

[Save](#)

[Resource detail](#)
[Citations](#)

AS/NZS 4765:2007 Modified polyvinyl chloride (PVC-M) pipes for pressure applications

[View on Information Provider website](#)

Abbreviation

AS/NZS 4765:2007

Valid from

19/09/2007

Information provider

Standards New Zealand

Author

Standards New Zealand, Standards Australia

Information type

New Zealand Standard

Format

PDF

Cited By

[This resource is cited by 12 documents \(show Citations\)](#)

Cites

[This resource cites 25 documents \(show Citations\)](#)

Description

This Standard specifies requirements for pipes, integral joints and post-formed bends of PVC-M for the conveyance of water and wastewater under pressure. The pipes are intended for installation below ground, and above ground where they are not exposed to direct sunlight.

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#)

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

AS/NZS 4765:2007 Modified polyvinyl chloride (PVC-M) pipes for pressure applications

This document is CITED BY:

- [G14/VM1 \(Second Edition, Amendment 6\)](#)

AS/NZS 4765:2007 is cited by Verification Method G14/VM1: Industrial Liquid Waste from 30/09/2010

- [G14/VM1 \(Second Edition, Amendment 3\)](#)

AS/NZS 4765:2007 is cited by Verification Method G14/VM1: Industrial Liquid Waste from 30/09/2010

- [G14/VM1 \(Second Edition, Amendment 5\)](#)

AS/NZS 4765:2007 is cited by Verification Method G14/VM1: Industrial Liquid Waste from 30/09/2010

- [G14/VM1 \(Second Edition, Amendment 4\)](#)

AS/NZS 4765:2007 is cited by Verification Method G14/VM1: Industrial Liquid Waste from 30/09/2010

- [AS 1646:2007](#)

AS/NZS 4765:2007 is cited by AS 1646:2007 (R2018) Elastomeric seals for waterworks purposes

- [AS/NZS 1254:2010](#)

AS/NZS 4765:2007 is cited by AS/NZS 1254:2010 PVC-U pipes and fittings for stormwater and surface water applications

- [AS/NZS 1260:2009](#)

AS/NZS 4765:2007 is cited by AS/NZS 1260:2009 PVC-U Pipes and fittings for drain, waste and vent applications

- [AS/NZS 3500.1:2015](#)

AS/NZS 4765:2007 is cited by AS/NZS 3500.1:2015 Plumbing and drainage - Part 1: Water services

- [AS/NZS 3518:2013](#)

AS/NZS 4765:2007 is cited by AS/NZS 3518:2013 Acrylonitrile butadiene styrene (ABS) compounds; pipes and fittings for pressure applications

- [NZS 4515:2009](#)

AS/NZS 4765:2007 is cited by NZS 4515:2009 Fire sprinkler systems for life safety in sleeping occupancies (up to 2000 square metres)

- [NZS 4541:2007](#)

AS/NZS 4765:2007 is cited by NZS 4541:2007 Automatic fire sprinkler systems

- [NZS 4541:2013](#)

AS/NZS 4765:2007 is cited by NZS 4541:2013 Automatic fire sprinkler systems

[Back](#)

AS/NZS 4765:2007 Modified polyvinyl chloride (PVC-M) pipes for pressure applications

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

This Standard specifies requirements for pipes, integral joints and post-formed bends of PVC-M for the conveyance of water and wastewater under pressure. The pipes are intended for installation below ground, and above ground where they are not exposed to direct sunlight.

[View on Information Provider website](#)

[AS/NZS 4765:2007 Modified polyvinyl chloride \(PVC-M\) pipes for pressure applications](#)

Description

This Standard specifies requirements for pipes, integral joints and post-formed bends of PVC-M for the conveyance of water and wastewater under pressure. The pipes are intended for installation below ground, and above ground where they are not exposed to direct sunlight.

[View on Information Provider website](#)

This resource cites:

AS/NZS 4765:2007 Modified polyvinyl chloride (PVC-M) pipes for pressure applications

This document CITES:

New Zealand Standards

- [AS/NZS 1462.15:1996](#)

AS/NZS 4765:2007 cites AS/NZS 1462.15:1996 (R2017) Methods of test for plastics pipes and fittings - Method 15: Method for determination of vinyl chloride monomer content

- [AS/NZS 1462.16:2006](#)

AS/NZS 4765:2007 cites AS/NZS 1462.16:2006 (R2017) Methods of test for plastics pipes and fittings - Method 16: Method for high temperature testing of pipe

- [AS/NZS 1462.1:2001](#)

AS/NZS 4765:2007 cites AS/NZS 1462.1:2001 Methods of test for plastics pipes and fittings - Method 1: Method for determining the dimensions of pipes and fittings

- [AS/NZS 1462.29:2006](#)

AS/NZS 4765:2007 cites AS/NZS 1462.29:2006 Methods of test for plastics pipes and fittings - Method 29: Plastics piping and ducting systems - Determination of the long-term hydrostatic strength of thermoplastics materials in pipe form by extrapolation

- [AS/NZS 1462.4:2002](#)

AS/NZS 4765:2007 cites AS/NZS 1462.4:2002 (R2017) Methods of test for plastics pipes and fittings - Method 4: Method of determining reversion of UPVC pipes

- [AS/NZS 1462.5:2002](#)

AS/NZS 4765:2007 cites AS/NZS 1462.5:2002 (R2017) Methods of test for plastics pipes and fittings - Method 5: Vicat softening temperature

- [AS/NZS 1462.6:1998](#)

AS/NZS 4765:2007 cites AS/NZS 1462.6:1998 Methods of test for plastics pipes and fittings - Method 6: Method for hydrostatic pressure testing of pipes

- [AS/NZS 2032:2006](#)

AS/NZS 4765:2007 cites AS/NZS 2032:2006 Installation of PVC pipe systems

- [AS/NZS 2566.2:2002](#)

AS/NZS 4765:2007 cites AS/NZS 2566.2:2002 (R2016) Buried Flexible pipelines - Installation

- [AS/NZS 3500.1:2003](#)

AS/NZS 4765:2007 cites AS/NZS 3500.1:2003 Plumbing and drainage - Water services

- [AS/NZS 3500.2:2003](#)

AS/NZS 4765:2007 cites AS/NZS 3500.2:2003 Plumbing and drainage - Sanitary plumbing and drainage

- [AS/NZS 3500.3:2003](#)

AS/NZS 4765:2007 cites AS/NZS 3500.3:2003 Plumbing and drainage - Part 3: Stormwater drainage

- [AS/NZS 3500.4:2003](#)

AS/NZS 4765:2007 cites AS/NZS 3500.4:2003 Plumbing and drainage - Part 4: Heated water services

- [AS/NZS 3500.5:2000](#)

AS/NZS 4765:2007 cites AS/NZS 3500.5:2000 Plumbing and drainage - Domestic installation

- [AS/NZS 3879:2006](#)

AS/NZS 4765:2007 cites AS/NZS 3879:2006 Solvent cements and priming fluids for PVC (PVC-U and PVC-M) and ABS pipes and fittings

- [AS/NZS 4020:2005](#)

AS/NZS 4765:2007 cites AS/NZS 4020:2005 Testing of products for use in contact with drinking water

Australian Standards

- [AS 1199.1-2003 \(R2016\)](#)

AS/NZS 4765:2007 cites AS 1199.1-2003 (R2016) Sampling procedures for inspection by attributes - Part 1: Sampling schemes indexed by acceptance quality limit (AQL) for lot-by-lot inspection

- [AS 1646.1-2000](#)

AS/NZS 4765:2007 cites AS 1646.1-2000 Elastomeric seals for waterworks purposes - General requirements

- [AS 1646.2-2000](#)

AS/NZS 4765:2007 cites AS 1646.2-2000 Elastomeric seals for waterworks purposes Material requirements for pipe joint seals used in water and wastewater applications - Specifies by prescription formulation

- [AS 1646.3-2000](#)

AS/NZS 4765:2007 cites AS 1646.3-2000 Elastomeric seals for waterworks purposes - Material requirements for pipe joints seals used in water and wastewater applications with the exception of natural rubber and polyisoprene compounds

Other

- [HB 18.28-2005](#)

AS/NZS 4765:2007 cites HB 18.28-2005 Conformity assessment - Guidance on a third-party certification system for products

- [ISO 13783:1997](#)

AS/NZS 4765:2007 cites ISO 13783:1997 Plastics piping systems - Unplasticized poly(vinyl chloride) (PVC-U) end-load-bearing double-socket joints - Test method for leaktightness and strength while subjected to bending and internal pressure

- [ISO 13844:2000](#)

AS/NZS 4765:2007 cites ISO 13844:2000 Plastics piping systems - Elastomeric-sealing-ring-type socket joints of unplasticized poly(vinyl chloride) (PVC-U) for use with PVC-U pipes - Test method for leaktightness under negative pressure

- [ISO 13845:2000](#)

AS/NZS 4765:2007 cites ISO 13845:2000 Plastics piping systems — Elastomeric-sealing-ring-type socket joints for use with unplasticized poly(vinyl chloride) (PVC-U) pipes — Test method for leaktightness under internal pressure and with angular deflection

- [ISO 13846:2000](#)

AS/NZS 4765:2007 cites ISO 13846:2000 Plastics piping systems - End-load-bearing and non-end-load-bearing assemblies and joints for thermoplastics pressure piping - Test method for long-term leaktightness under internal water pressure

Back

Close

Table of Contents

Section 1 Scope And General

1.1 Scope

1.2 Means For Demonstrating Compliance

1.3 Referenced Documents

1.4 Definitions

1.5 Notation

1.6 Classification

Section 2 General Requirements

2.1 Scope

2.2 Composition

2.3 Dimensions

2.4 Colour

2.5 Effect On Water

2.6 Freedom From Defects

2.7 Solvent Cements

2.8 Elastomeric Jointing Seals

2.9 Witness Mark

Section 3 Performance Requirements

3.1 Scope Of Section

3.2 Tests On Pipes

3.3 Tests On Elastomeric Seal Joints

Section 4 Pipes

4.1 Scope Of Section

4.2 Diameter And Wall Thickness

4.3 Length

4.4 Pipe Spigot Ends

4.5 Sockets Formed On Pipes

4.6 Marking

4.7 Packaging, Storage And Transportation

Section 5 Elastomeric Seal Joints

5.1 Scope Of Section

5.2 Joint Design

5.3 Depth Of Engagement

5.4 Socket Depth

Section 6 Post-Formed Bends And Couplings

6.1 Scope Of Section And General

6.2 Sockets

6.3 Bend Radius

6.4 Spigot Lengths

6.5 Bend Angle

6.6 Marking

Appendices

Appendix A - Means For Demonstrating Compliance With This Standard

Appendix B - Method For Determination Of Cœring Toughness

Appendix C - Method For The Determination Of High Velocity Impact Fracture Mode

Appendix D - Method For The Determination Of Long-Term Toughness

Appendix E - Method For Determining The Resistance Of Notched Pipe To Internal Pressure

Appendix F - Wall Thickness Design For Pipes For Special Applications

[Save](#)

[Feedback](#)

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

[Feedback](#)