

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

Print [Save](#) Email

[Resource detail](#)

[Citations](#)

AS/NZS 5000.3:2003 (R2016) Electric cables - Polymeric insulated - Part 3: Multicore control cables

Table of Contents

[View on Information Provider website](#) [{{ linkText }}](#)

Abbreviation

AS/NZS 5000.3:2003

Valid from

02/02/2003

Information provider

Standards New Zealand

Author

Standards New Zealand, Standards Australia

Information type

New Zealand Standard

Format

PDF

Cited By

[This resource is cited by 1 document \(show Citations\)](#)

Description

This Standard specifies requirements for screened and unscreened insulated multicore control cable for voltages up to and including 450/750 V intended for use in control, supervisory, protection and instrumentation circuits. It does not apply to cables used solely for telecommunication purposes.

Scope

It applies to cables intended for use in control, supervisory, protection and instrumentation circuits. Control cables complying with this Standard may be used in power station and substation confines or in industrial applications.

It does not apply to cables used solely for telecommunication purposes.

For assistance with locating previous versions, please contact the information provider.

Table of Contents [View on Information Provider website](#) [{{ linkText }}](#)

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

AS/NZS 5000.3:2003 (R2016) Electric cables - Polymeric insulated - Part 3: Multicore control cables

This document is CITED BY:

- [NZS 4512:2010](#)

AS/NZS 5000.3:2003 is cited by NZS 4512:2010 Fire detection and alarm systems in buildings

Back

AS/NZS 5000.3:2003 (R2016) Electric cables - Polymeric insulated - Part 3: Multicore control cables

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

This Standard specifies requirements for screened and unscreened insulated multicore control cable for voltages up to and including 450/750 V intended for use in control, supervisory, protection and instrumentation circuits. It does not apply to cables used solely for telecommunication purposes.

[View on Information Provider website](#)

[AS/NZS 5000.3:2003 \(R2016\) Electric cables - Polymeric insulated - Part 3: Multicore control cables](#)

Description

This Standard specifies requirements for screened and unscreened insulated multicore control cable for voltages up to and including 450/750 V intended for use in control, supervisory, protection and instrumentation circuits. It does not apply to cables used solely for telecommunication purposes.

[View on Information Provider website](#)

This resource does not cite any other resources.

AS/NZS 5000.3:2003 (R2016) Electric cables - Polymeric insulated - Part 3: Multicore control cables

This resource does not CITE any other resources.

Back

Close

Table of Contents

1 Scope

2 Referenced Documents

3 Definitions

4 Voltage Designation

5 Conductors

6 Insulation

7 Assembly Of Cores

8 Bedding (Optional

9 Metallic Screens (Optional

10 Separation Layer (Optional)

11 Armour (Optional)

12 Metallic Sheath (Optional

13 Non-Metallic Sheath

14 Further Protection (Optional

15 Marking

16 Tests

17 Guide To Bending Radius

Appendices

A Purchasing Guidelines

B Guide To Bending Radius Of Multicore Control Cables

[Save](#)

[Feedback](#)

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

[Feedback](#)