

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

  

[Save](#)

[Resource detail](#)  
[Citations](#)

## AS/NZS 60079.18:2005 Explosive atmospheres - Part 18: Construction, test and marking of type of protection encapsulation 'm' electrical apparatus

[View on Information Provider website](#)

### Abbreviation

AS/NZS 60079.18:2005

### Valid from

02/05/2005

---

### Information provider

Standards New Zealand

### Author

Standards Australia, Standards New Zealand

### Information type

New Zealand Standard

### Format

PDF

---

### Cited By

[This resource is cited by 1 document \(show Citations\)](#)

---

### Description

This part of AS/NZS 60079 specifies requirements for the construction, testing and marking of electrical apparatus, parts of electrical apparatus and Ex components with the type of protection encapsulation 'm'.

This part of the Standard only applies for encapsulated electrical apparatus, encapsulated parts of electrical apparatus and encapsulated Ex components where the rated voltage does not exceed 10 kV with a relative tolerance of +10%. This Standard supplements the general requirements in AS/NZS 60079.0.

It is identical with and has been reproduced from IEC 60079-18:2004.

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#)

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

**AS/NZS 60079.18:2005 Explosive atmospheres - Part 18: Construction, test and marking of type of protection encapsulation 'm' electrical apparatus**

This document is CITED BY:

- [AS/NZS 1680.1:2006](#)

AS/NZS 60079.18:2005 is cited by AS/NZS 1680.1:2006 Interior and workplace lighting - Part 1: General principles and recommendations

Back

## AS/NZS 60079.18:2005 Explosive atmospheres - Part 18: Construction, test and marking of type of protection encapsulation 'm' electrical apparatus

Show what documents this resource is CITED BY

Show what documents this resource CITES

### Description

This part of AS/NZS 60079 specifies requirements for the construction, testing and marking of electrical apparatus, parts of electrical apparatus and Ex components with the type of protection encapsulation 'm'.

This part of the Standard only applies for encapsulated electrical apparatus, encapsulated parts of electrical apparatus and encapsulated Ex components where the rated voltage does not exceed 10 kV with a relative tolerance of +10%. This Standard supplements the general requirements in AS/NZS 60079.0.

It is identical with and has been reproduced from IEC 60079-18:2004.

[View on Information Provider website](#)

[AS/NZS 60079.18:2005 Explosive atmospheres - Part 18: Construction, test and marking of type of protection encapsulation 'm' electrical apparatus](#)

### Description

This part of AS/NZS 60079 specifies requirements for the construction, testing and marking of electrical apparatus, parts of electrical apparatus and Ex components with the type of protection encapsulation 'm'.

This part of the Standard only applies for encapsulated electrical apparatus, encapsulated parts of electrical apparatus and encapsulated Ex components where the rated voltage does not exceed 10 kV with a relative tolerance of +10%. This Standard supplements the general requirements in AS/NZS 60079.0.

It is identical with and has been reproduced from IEC 60079-18:2004.

[View on Information Provider website](#)

This resource does not cite any other resources.

## AS/NZS 60079.18:2005 Explosive atmospheres - Part 18: Construction, test and marking of type of protection encapsulation 'm' electrical apparatus

This resource does not CITE any other resources.

Back

Close

### Table of Contents

Print [Save](#) Email

[Feedback](#)

--	--	--

--

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

--	--	--

--

[Feedback](#)