

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

  
 

[Resource detail](#)  
[Citations](#)

## AS/NZS 60923:1998 (R2013) Auxiliaries for lamps - Ballasts for discharge lamps (excluding tubular fluorescent lamps) - Performance requirements

[View on Information Provider website](#)

### Abbreviation

AS/NZS 60923:1998

### Valid from

04/12/1998

---

### Information provider

Standards New Zealand

### Author

Standards New Zealand, Standards Australia

### Information type

New Zealand Standard

### Format

Hard copy, PDF

---

### Cited By

[This resource is cited by 1 document \(show Citations\)](#)

---

### Description

This Standard specifies performance requirements for inductive type ballasts for discharge lamps (such as high-pressure mercury vapour, low-pressure sodium vapour, high-pressure sodium vapour and metal halide lamps). The ballasts are for use on supplies up to 1000 V at 50 Hz or 60 Hz.

This Standard is technically equivalent to and has been reproduced from IEC 60923:1995.

### Scope

This standard specifies performance requirements for ballasts for discharge lamps such as high-pressure mercury vapour, low-pressure sodium vapour, high-pressure sodium vapour and metal halide lamps. Each section details specific requirements for a particular type of ballast. The standard covers inductive type ballasts for use on a.c. supplies up to 1000 V at 50 Hz to 60 Hz associated with discharge lamps, having rated wattage, dimensions and characteristics as specified in the relevant IEC lamp standards.

It is to be read in conjunction with IEC 60922.

For assistance with locating previous versions, please contact the information provider.

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

## AS/NZS 60923:1998 (R2013) Auxiliaries for lamps - Ballasts for discharge lamps (excluding tubular fluorescent lamps) - Performance requirements

This document is CITED BY:

- [AS/NZS 1680.1:2006](#)

AS/NZS 60923:1998 is cited by AS/NZS 1680.1:2006 Interior and workplace lighting - Part 1: General principles and recommendations

Back

## AS/NZS 60923:1998 (R2013) Auxiliaries for lamps - Ballasts for discharge lamps (excluding tubular fluorescent lamps) - Performance requirements

Show what documents this resource is CITED BY

Show what documents this resource CITES

### Description

This Standard specifies performance requirements for inductive type ballasts for discharge lamps (such as high-pressure mercury vapour, low-pressure sodium vapour, high-pressure sodium vapour and metal halide lamps). The ballasts are for use on supplies up to 1000 V at 50 Hz or 60 Hz.

This Standard is technically equivalent to and has been reproduced from IEC 60923:1995.

[View on Information Provider website](#)

[AS/NZS 60923:1998 \(R2013\) Auxiliaries for lamps - Ballasts for discharge lamps \(excluding tubular fluorescent lamps\) - Performance requirements](#)

### Description

This Standard specifies performance requirements for inductive type ballasts for discharge lamps (such as high-pressure mercury vapour, low-pressure sodium vapour, high-pressure sodium vapour and metal halide lamps). The ballasts are for use on supplies up to 1000 V at 50 Hz or 60 Hz.

This Standard is technically equivalent to and has been reproduced from IEC 60923:1995.

[View on Information Provider website](#)

This resource does not cite any other resources.

## AS/NZS 60923:1998 (R2013) Auxiliaries for lamps - Ballasts for discharge lamps (excluding tubular fluorescent lamps) - Performance requirements

This resource does not CITE any other resources.

Back

Close

## **Section 1: Electrical Requirements For Ballasts For High-Pressure Mercury Vapour Lamps**

**11 Ballast Setting**

**12 Short-Circuit Current**

**13 Open-Circuit Voltage (Minimum Voltage For Stable Operation)**

## **Section 2: Electrical Requirements For Ballasts For Low-Pressure Sodium Vapour Lamps**

**14 Ballast Setting**

**15 Short-Circuit Current And Run-Up Conditions**

**16 Open-Circuit Voltage (Minimum Voltage For Stable Operation)**

## **Section 3: Electrical Requirements For Ballasts For Metal Halide Lamps**

**17 Ballast Setting**

**18 Short-Circuit Current And Run-Up Conditions**

**19 Open-Circuit Voltage (Minimum Voltage For Stable Operation)**

## **Section 4: Electrical Requirements For Ballasts For High-Pressure Sodium Vapour Lamps**

**20 Ballast Setting**

**21 Short-Circuit Current**

**22 Open-Circuit Voltage**

## **Annexes**

**A Reference Ballasts**

**B Reference Lamps**

**C General Requirements For Tests**

**D Explanation Of Measurements Of Ballast Setting And Lamp-Operating Current Waveform For High-Pressure Sodium Vapour Lamps**

**Zz Variations To IEC 60923 For Application In Australia And New Zealand**

[Feedback](#)


- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)


[Feedback](#)