

Menu

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

[Print](#) [Save](#) [Email](#)

[Resource detail](#)

[Citations](#)

ASTM A106-86 Standard Specification for Seamless Carbon Steel Pipe for High-Temperature Service

[View on Information Provider website](#) [{{ linkText }}](#)

Abbreviation

ASTM A106-86

Valid from

22/08/1986

Information provider

IHS Markit

Author

American Society of Testing and Materials

Information type

ASTM Standard

Format

PDF

Cited By

[This resource is cited by 1 document \(show Citations\)](#)

Description

This specification covers seamless carbon steel pipe for high-temperature service in NPS 1/8 to NPS 48 [DN 6 to DN 1200] inclusive, with nominal (average) wall thickness.

It shall be permissible to furnish pipe having other dimensions provided such pipe complies with all other requirements of this specification.

Pipe ordered under this specification shall be suitable for bending, flanging, and similar forming operations, and for welding.

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#) [{{ linkText }}](#)

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

ASTM A106-86 Standard Specification for Seamless Carbon Steel Pipe for

High-Temperature Service

This document is CITED BY:

- [ANSI/ASME B16.5: 1988](#)

ASTM A106-86 is cited by ANSI/ASME B16.5: 1988 Pipe flanges and flanged fittings, steel-nickel alloy and other special alloys

Back

ASTM A106-86 Standard Specification for Seamless Carbon Steel Pipe for High-Temperature Service

Show what documents this resource is CITED BY

Show what documents this resource CITES

Description

This specification covers seamless carbon steel pipe for high-temperature service in NPS 1/8 to NPS 48 [DN 6 to DN 1200] inclusive, with nominal (average) wall thickness.

It shall be permissible to furnish pipe having other dimensions provided such pipe complies with all other requirements of this specification.

Pipe ordered under this specification shall be suitable for bending, flanging, and similar forming operations, and for welding.

[View on Information Provider website](#)

[ASTM A106-86 Standard Specification for Seamless Carbon Steel Pipe for High-Temperature Service](#)

Description

This specification covers seamless carbon steel pipe for high-temperature service in NPS 1/8 to NPS 48 [DN 6 to DN 1200] inclusive, with nominal (average) wall thickness.

It shall be permissible to furnish pipe having other dimensions provided such pipe complies with all other requirements of this specification.

Pipe ordered under this specification shall be suitable for bending, flanging, and similar forming operations, and for welding.

[View on Information Provider website](#)

This resource does not cite any other resources.

ASTM A106-86 Standard Specification for Seamless Carbon Steel Pipe for High-Temperature Service

This resource does not CITE any other resources.

Back

Close

Table of Contents

Print [Save](#) Email

[Feedback](#)

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

[Feedback](#)