

- [Home Home](#)
- [About this portal](#)
- [Latest updates](#)

[Save](#)

[Resource detail](#)
[Citations](#)

ASTM A269/A269M-14 Standard Specification for Seamless and Welded Austenitic Stainless Steel Tubing for General Service

[View on Information Provider website](#)

Abbreviation

ASTM A269/A269M-14

Valid from

01/05/2014

Information provider

American Society of Testing and Materials

Author

American Society of Testing and Materials

Information type

ASTM Standard

Format

PDF

Cited By

[This resource is cited by 2 documents \(show Citations\)](#)

Description

This specification covers grades of nominal-wall-thickness, stainless steel tubing for general corrosion-resisting and low- or high-temperature service.

Scope

This specification covers grades of nominal-wall-thickness, stainless steel tubing for general corrosion-resisting and low- or high-temperature service, as designated in Table 1.

The tubing sizes and thicknesses usually furnished to this specification are 1/4 in. [6.4 mm] in inside diameter and larger and 0.020 in. [0.51 mm] in nominal wall-thickness and heavier.

Mechanical property requirements do not apply to tubing smaller than 1/8 in. [3.2 mm] in inside diameter or 0.015 in. [0.38 mm] in thickness.

Note 1—Additional testing requirements may apply for use in ASME B31.3 applications.

Optional supplementary requirements are provided and, when one or more of these are desired, each shall be so stated in the order.

The values stated in either SI units or inch-pound units are to be regarded separately as standard. Within the text, SI units are shown in brackets. The values stated in each system may not be exact equivalents; therefore, each system shall be used

independently of the other. Combining values from the two systems may result in non-conformance with the standard. The inch-pound units shall apply unless the "M" designation of this specification is specified in the order.

For assistance with locating previous versions, please contact the information provider.

[View on Information Provider website](#)

For assistance with locating previous versions, please contact the information provider.

This resource is cited by:

ASTM A269/A269M-14 Standard Specification for Seamless and Welded Austenitic Stainless Steel Tubing for General Service

This document is CITED BY:

- [AS/NZS 3500.1:2015](#)

ASTM A269/A269M-14 is cited by AS/NZS 3500.1:2015 Plumbing and drainage - Part 1: Water services

- [AS/NZS 3500.2:2018](#)

ASTM A269/A269M-14 is cited by AS/NZS 3500.2:2018 Plumbing and drainage Part 2: Sanitary plumbing and drainage

ASTM A269/A269M-14 Standard Specification for Seamless and Welded Austenitic Stainless Steel Tubing for General Service

Description

This specification covers grades of nominal-wall-thickness, stainless steel tubing for general corrosion-resisting and low- or high-temperature service.

[View on Information Provider website](#)

[ASTM A269/A269M-14 Standard Specification for Seamless and Welded Austenitic Stainless Steel Tubing for General Service](#)

Description

This specification covers grades of nominal-wall-thickness, stainless steel tubing for general corrosion-resisting and low- or high-temperature service.

[View on Information Provider website](#)

This resource does not cite any other resources.

ASTM A269/A269M-14 Standard Specification for Seamless and Welded Austenitic Stainless Steel Tubing for General Service

This resource does not CITE any other resources.

Table of Contents

Print Save Email

[Feedback](#)

- [Contact us](#)
- [Privacy policy](#)
- [Disclaimer](#)
- [Copyright](#)

[Feedback](#)